Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SPRING 1914

TRADE LIST

OF THE

F. & F. NURSERIES

DEPT. AMERICAN NURSERY CO.

Springfield, Union Co., N. J.

Location, 17 Miles from New York City
Millburn Station, D. L. & W. R. R.
Springfield Station, Rahway Valley R. R.
Electric Cars pass our Office Every Half Hour, giving Direct
Communication with Summit, Millburn, Newark, Elizabeth
'Phone, No. 152 Millburn

Established at Roselle, N. J. in 1882

THE SHIPPING SEASON

We usually commence digging and shipping about the middle of March continuing until end of May.

A certificate of inspection from the State Entomologist will accompany each shipment.

We have a complete fumigation outfit, and when requested, will fumigate all stock.

Use the Nurseryman's Telegraphic Code in Telegraphing.

For convenience and economy in ordering by wire, a telegraph cipher is attached to each article.

Local and Long Distance, 'Phone Millburn 152.

NOTICE TO CUSTOMERS

We would say to those unacquainted with us that we have 200 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

REFERENCES—For those who do not know us we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

PRICES—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

TERMS—We are glad to grant 30 to 60 days' time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or a guarantee signed by some Bank or someone of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will not enter orders or ship goods until we know the customer is responsible.

We will not hold goods on inquiries.

Trees selected by customers at the nursery will be charged for in accordance with their value.

PACKING—This is done in boxes and bales for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

COMPLAINTS—Should there be any reason for complaint we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

ORDERS—Are accepted upon condition that they shall be void should any iniury befall the stock from frost, or other cause over which we have no control.

VARIETIES—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

GUARANTEE OF GENUINENESS—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all that may prove untrue, we do not give any warranty expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

We guarantee all our stock to be in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects, or after culture on the part of the purchaser and the risks of transportation are to be borne by purchaser. When losses occur by detention, claims should be at once made on forwarders.

ORNAMENTAL DEPARTMENT

DECIDUOUS TREES

The trees offered in this list have been transplanted several times, are well rooted, of symmetrical shape and of quality described. We care for our trees and destroy annually hundreds that do not measure up to our standard of excellence. Most of our deciduous trees are graded by caliper measured 6 in. above ground, which is incomparably the best standard for the purchaser. A tree 12 to 15 feet in height may not caliper as much as one 10 to 12 or even less and if it is thus unproportioned it is an inferior tree. We have bought some of these offerings at what seemed an astonishingly low price but always to our sorrow.

| | Tel. Code | Each | Per 10 Per 100 |
|--|----------------|-----------------------------|--------------------------|
| ACER—Campestre, 4-6 ft. | | \$ 35 | \$ 3 00 |
| 6–8 ft | | 55 | 5 00 |
| — Colchicum, Rubrum, 6–8 ft | | 80 | 7 50 |
| 8–10 ft | | 1 00 | |
| 10–12 ft | | 1 25 | 0 50 400 00 |
| — Dasycarpum, Silver Maple, 8-10 ft | | 30 | 2 50 \$20 00 |
| 8–10 ft., 1 ¼ in | | 35 50 | 3 00 25 00 4 50 40 00 |
| 11–12 ft., 1¾ in | | 65 | 6 00 50 00 |
| | .Gadfly | 90 | 8 00 65 00 |
| 12–13 ft., 2½ in | Gadder | 1 00 | 9 00 75 00 |
| $13-14$ ft., $2\frac{1}{2}$ in | . Gadding | 1 25 | 11 50 90 00 |
| 14–15 ft., 3 in | . Gaddingly | $2\ 00$ | 17 50 150 00 |
| 14–15 ft., 3½ in | . Gadling | 2 50 | 2 25 |
| — — Pyramidalis, 10–14 ft | .Gaff | 65 | 6 00 |
| — Wierii, Wier's Cut Leaf, 8-10 ft., 11/4 in | | 50 | 4 50 |
| 10–11 ft., 1½ in | | 65 | 6 00 55 00 |
| 11-12 ft., 13/4 in | | 1 00 | 8 00 |
| 12-13 ft., 2 in | .Gage | $\frac{1}{1} \frac{25}{25}$ | 11 50 |
| 13-14 ft., 2½ in — Negundo, Ash Leaf Maple, 8-10 ft., 1½ in | . Gaged | 1 35 50 | 12 50 |
| 10-11 ft., 1½ in | Gaggie | 60 | 4 50 5 50 |
| , 11–12 ft., 134 in | Gaily | 80 | 0 00 |
| 12–13 ft., 2 in | Gain | 1 00 | |
| 12–14 ft., 2½ in | .Gained | 1 25 | |
| — — Var. leaved, 5-7 ft | .Gainer | 50 | |
| - Platanoides, Norway Maple, 8-10 ft., 11/4 in | .Gainful | 60 | 5 50 50 00 |
| 10–11 ft., 1½ in | . Gainfully | 90. | 8 50 75 00 |
| $11-12$ ft., $1\frac{3}{4}$ in | .Gaining | 1 40 | 13 50 120 00 |
| 12-13 ft., 2 in | . Gainings | 1 60 | 15 50 150 00 |
| 13–14 ft., 2½ in | . Gainless | 2 00 | 17 50 165 00 |
| 13–14 ft., 2½ in | . Gainlessness | $\frac{2}{2} \frac{50}{50}$ | 22 50 200 00 |
| — — Schwedlerii, 6–8 ft | . Gainsay | 3 50 50 | 30 00 |
| 8–10 ft., 1¼ in | Garichly | 75 | 7 00 |
| 10-11 ft., 1½ in | Gait. | 1 00 | 8 50 |
| 11–12 ft., 134 in | .Gaited | 1 50 | 13 50 |
| 12–13 ft., 2 in | | $\frac{1}{2} \frac{1}{00}$ | 17 50 |
| - Pseudo Platanus, Sycamore, 8-10 ft., 1 1/4 in | .Gala | 55 | 5 00 |
| 10–11 ft., 1½ in | .Galage | 75 | 7 00 |
| $11-12 \text{ ft., } 1\frac{3}{4} \text{ in } \dots$ | . Galations | 1 25 | 10 00 |
| 12–13 ft., 2 in | .Galban | 1 65 | 15 00 |
| Ruhrum Red or Scarlet Meele 6 8 ft. | .Galaxy | 1 75 | |
| - Rubrum, Red or Scarlet Maple, 6-8 ft | .Gale | 50 80 | 7 50 |
| 8–10 ft., 1¼ in 10–12 ft., 1½ in | Galeate | 90 | 8 50 |
| 12–13 ft., 1¾ in | Galeated | 1 25 | 12 00 |
| | .Galena | 1 60 | 15 00 |
| 13–14 ft., 21/4 in | .Galenical | 1 85 | 17 50 |
| 14–15 ft., 2½ in | .Galenic | $\bar{2} \ \bar{0}\bar{0}$ | |
| — Saccharinum, Sugar Maple, 8-10 ft | .Galilean | 50 | 4 50 40 00 |
| $10-12$ ft., $1\frac{1}{4}$ in | Galilee | 70 | 6 50 50 00 |
| $11-13$ ft., $1\frac{1}{2}$ in | Galiot | 1 00 | 9 00 70 00 |
| 12-14 in., 134 ft | Galipot | 1 35 | 12 50 100 00 |
| 13–15 ft., 2 in | Gall | 1 65 | 15 00 140 00 |
| 13–15 ft., 2½ in 14–16 ft., 2½ in | Calletone | $\frac{1}{2} \frac{75}{50}$ | 16 50 22 50 |
| 14-10 ft., 2 ½ in | Gallant | 3 00 | 22 00 |
| 11 10 10., 0 III | Janailt | 5 00 | |

| 1. & T. NORSERIES | | | | |
|---|---------------|-----------------------------|---|---------|
| ACER—Continued | Tel. Code | Each | Per 10 | Per 100 |
| — Spicatum, 3–5 ft | . Gallanted | \$ 45 | \$4 00 | |
| — Striatum, 6-8 ft | | 75 | # 1 00 | |
| — Tataricum Rubrum, (see Shrubs). | G | | | |
| — Ginnala, (see Shrubs). | | | | |
| — Japonicum, (Japan Maple) see Shrubs. AESCULUS—Glabra, 8–10 ft., 2 in | Colvenias | 1.00 | | |
| — Hippoc. Horsechestnut, 6–8 ft., 11/4 in | | $\frac{1}{65}$ | 6.50 | \$50 00 |
| 8–10 ft., 1½ in | | 75 | 7 00 | 65 00 |
| 8–10 ft., 134 in | . Galvanism | 90 | 8 50 | 80 00 |
| 10–12 ft., 2 in | .Gambet | 1 20 | | 100 00 |
| 10–12 ft., 2½ in | .Gambison | 1 65 | 15 00 | |
| 10–12 ft., 2½–3 in | .Gambler | $\frac{2}{3} \frac{00}{00}$ | 17 50 | |
| — Rubicunda, Red Horsechestnut, 8–10 ft., 1¼ in. | Gambling | 1 25 | 10 00 | |
| 9–10 ft., 1½–2 i | n Gameful | 1 60 | 15 00 | |
| $10-12 \text{ ft.}, 2-2\frac{1}{2} \text{ i}$ | n Gameless | $\frac{1}{2}$ 00 | 17 50 | |
| — — Alba fl. pl., Dbl. White Flg., 8–10 ft., 1½ in | . Gamester | 1 50 | | |
| 10–12 ft., 2 in | | 1 75 | 0 70 | |
| ALLANTHUS—Glandulosa, 4–6 ft. | .Gammoned | 30 | 2 50 | |
| 6-8 ft | | $\frac{40}{20}$ | 3 50 1 90 | 18 00 |
| AMYGDALUS—Flowering Peach, 4-5 ft | Ganch | $\frac{20}{25}$ | $\frac{1}{2} \frac{30}{25}$ | 10 00 |
| Red and White, 5-6 ft | . Ganching | 35 | 3 00 | |
| ANDROMEDA—(See Shrubs). | J | | | |
| ARALIA—(See Shrubs). | 0 | 00 | 0.50 | |
| BETULA—Alba, European Wh. Birch, 4-6 ft | | 30 | 2 50 | |
| 6– 8 ft | Gangrening | 35 50 | 4 50 | |
| 10–12 ft | Gangway | 70 | $\frac{1}{6} \frac{50}{50}$ | |
| — — Laciniata, Weep. Cut. Lf. Birch, 4-6 ft | .Gannet | 40 | 3 50 | 30 00 |
| 6-8 ft | .Ganoid | 50 | 4 50 | |
| 8–10 ft | | 80 | 7 50 | |
| Dond Vouncii 5 6 ft, branched low | | 1 00 | | |
| — — Pend. Youngii, 5–6 ft., branched low | Gape | 60 75 | | |
| — — Purpurea, Purple Leaved, 4–6 ft | | 60 | | |
| 6–8 ft | .Gaping | 75 | | |
| — — Pyramidalis, 4–5 ft | .Gapped | 30 | | |
| 5–6 ft | .Garble | 40 | 3 50 | 25.00 |
| — Lenta. Sweet Birch, 4–6 ft | Garbage | 35 45 | $\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$ | 25 00 |
| Lutea, Yellow Birch, 10–14 ft | Garbed | $\frac{10}{75}$ | 1 00 | |
| - Papyracea, Canoe Paper Birch, 4-6 ft | | 35 | 3 00 | |
| 6-8 ft | .Garbles | 50 | 4 50 | |
| $8-10 \text{ ft.}, 1\frac{1}{4}-1\frac{1}{2} \text{ in}$ | | 60 | 5 50 | 50 00 |
| 10-12 ft., 13/4-2 in. | | 70 40 | 6 50 3 50 | |
| — Populifolia, 6– 8 ft | | 50 | 5 50 | |
| 10–12 ft | | 60 | | |
| BROUSSONATIA—Papyrafera, 3–4 ft | . Gardening | 25 | 2 00 | |
| CARPINUS—Americana, 2–3 ft | . Gardener | 20 | 1 80 | 15 00 |
| 3–4 ft | | 25 | | |
| CARAGANA PENDULA—5–8 ft | .Gargied | 75 | | |
| — Med. Heads, 1¼ in. stem grafted on | Garlick | . 65 | 6 00 | 50 00 |
| — First class Heads, 1½ in stem smooth | .Garland. | 70 | 6 50 | |
| — Extra large Heads, 134 in. stem { straight } | .Garlanding | 1 00 | 9 00 | |
| — Extra large Heads, 2 in. stems stems | . Garlanded | 1 25 | 12 00 | |
| —— Extra large Heads, 2½ in. stems | . Garlandless | 1 50 20 | 13 50 1 50 | |
| — Speciosa, Western Catalpa , 6-8 ft | Garment | 35 | 3 00 | |
| 10–12 ft., 2 in | | 50 | 4 50 | |
| CELTIS—Occidentalis, (see Shrubs). | | | | |
| CEPHALANTHUS—(See Shrubs). | | | | |
| CERASUS—Jap. Rosea, Pend., Weep. Jap. Cherry, | 0 | CF | 6.00 | |
| 3–4 ft | | 65 75 | 6 00 | |
| 4–5 ft | | 1 00 | | |
| U-110 | | _ 00 | | |

| | 111111111111111111111111111111111111111 | | | | |
|---|---|--------------|---|---|----------------|
| CERASUS—Continued | | Tel. Code | Each | Per 10 | Per 100 |
| — Serotina, 8–10 ft | | .Garter | \$ 50 | \$4 00 | |
| 10-14 ft 2-3 in | | Gartered | 60 | 5 00 | |
| — Sinensis fl. pl., Chinese Dbl. Flg., | 3-4 ft | .Gas | 75 | | |
| —— J. H. Veitch, 3 ft | 4-0 It | .Gascon | $\frac{1}{75}$ | | |
| 4 ft | | .Gasconader | 1 00 | | |
| CERCIDIPHYLLIUM—Jap. Katsur | a, 4–6 ft 6–8 ft | .Gash | $\frac{50}{65}$ | $\begin{array}{ccc} 4 & 50 \\ 6 & 00 \end{array}$ | \$40 00 |
| CERCIS—Judas Tree. (See Shrubs CLADRASTIS—Virgilia, Yel. Wood | s). | .Gashful | 30 45 | | |
| CORNUS— | | | | | |
| — Florida, Wh. Flowering Dogwood | | | 30 | $\frac{2}{2} \frac{50}{2}$ | |
| | 3–4 ft | | $\frac{35}{45}$ | 3 25 | 25 00 |
| | 5–6 ft | | 60 | $\frac{4}{5} \frac{00}{50}$ | 35 00 50 00 |
| | 6–8 ft | | 80 | 7 50 | 50 00 |
| Pendula, Weeping Dogwood, 2 | | | 50 | . 00 | |
| 2 ************************************* | 3–4 ft | .Gastric | 75 | | |
| — — Rubra, Red Flg. Dogwood, 2-2 | 2⅓ ft | .Gat | 50 | | |
| 27 | ≨–3 ft | .Gate | 60 | | |
| 3 | -4 ft | | 85 | | |
| $\frac{4}{2}$ | -5 ft | | 1 25 | | |
| CRATAEGUS—Thorn | -6 ft | . Gateway | 1 50 | | |
| — Coccinea, 2–3 ft | | Gatherina | 20 | 1 80 | 15 00 |
| 5–6 ft | | | $\frac{20}{35}$ | 1 30 | 10 00 |
| — Cordata, 3–4 ft | | | 35 | | |
| 5–6 ft | | | 50 | | |
| — Crus Galli, Cockspur Thorn, 2-3 | ft | . Gaudiness | 25 | $2\ 25$ | 20 00 |
| 3-4 | ft | . Gaudless | 30 | 2.75 | 25 00 |
| 4-5 | ft | .Gaudy | 45 | 4 00 | 35 00 |
| 5-6 | ft | .Gauged | 50 | 0.05 | 00.00 |
| - Oxycantha, Pink, Red, and Whit | | | $\frac{25}{25}$ | 2 25 | 20 00 |
| | 4–5 ft | | $\begin{array}{c} 35 \\ 40 \end{array}$ | 3 00 | 25 00 |
| | 5–6 ft 6–8 ft | Gauging | 50 | | |
| CYTISSUS-Laburnum, Golden Ch. | ain. 3–4 ft. | Gaul | 30 | 2 50 | |
| | 4-6 ft | | 35 | 3 00 | |
| DYOSPYRUS—Virginiana Persimm | .on, 3–4 ft | .Gaunt | 25 | 2 00 | |
| | 4–6 ft | .Gauntly | 35 | 2 50 | |
| EUONYMUS—(See Shrubs). FAGUS—Ferruginea, American Bee | ch. 3–4 ft | .Gavelet | 60 | 5 00 | |
| | 4-6 ft | .Gavilian | 1 00 | 5 00 | |
| - Sylvatica, English Beech, 3-4 ft. | | .Gawk | 30 | 2 50 | |
| 4–6 ft . | | .Gawkv | 60 | 5 00 | |
| 6–7 ft . | · · · · · · · · · · · · · · · · · · · | Gawn | 1 00 | | |
| Asplenifolia, Cut Leaved Beec | h, $\begin{cases} 2-3 & \text{ft.} \\ 2 & 4 & \text{ft.} \end{cases}$ | .Gay | 50 75 | | |
| — — Heterophylla, Fern Lvd. Beech | h' {3-4 lt | Gayatra | 75 90 | | |
| - Pendula, Weeping Beech, 3-4 | 17-916 | Gaze | 55 | 5 00 | |
| 4-6 | ft | . Gazeful | 70 | 6 00 | |
| 6-8 | ft | Gazel | 1 00 | 7 50 | |
| 8-10 | 0 ft | Gazer | $\tilde{1}$ 25 | 10 00 | |
| Dumauras Dumala Connan 4- | -6 ft | Gear | 60 | 5 50 | 45 00 |
| Lagrad Booch | 7 ft | Geared | $\begin{array}{c} 85 \\ 1 \ 00 \end{array}$ | 8 00 | 75 00 |
| Pendula, Weeping Purple- | (3–4 ft | Gee | 1 00 | | |
| Leaved Beech, | 5-6 ft | Geese | 1 50 | | |
| | 3-4 ft | | 60 | 5 00 | |
| — — Riversi, River's Purple- | ₹4-6 ft | . Gelatinate | 90 | 8 50 | |
| Leaved Beech, | 6-7 ft | .Geld | 1 25 | 10 00 | |
| — Tricolor, 3–4 ft | | .Gelded | 75 | | |
| FRAXINUS—Americana, White Ash | | .Gelding | 30 | $^{-2}50$ | |
| | 8-10 ft., 11/4 in . | | 45 | 4 00 | |
| | 10-12 ft., 1½ in | Gelidity. | 60 | 5 50 | |
| | 10-12 ft., 134 in . | | 1 00 | 6 50 | |
| \ | 12 ft., 2 in | . Genuly | -1 00 | | |

| | 1el Code | Each | Per 10 | Per 100 |
|---|------------------------|-----------------------------|------------------|----------------|
| FRAXINUS—Continued | _ | | | |
| — Quadrangulata, 5–7 ft. | | \$ 30 | \$ \$ | |
| — Viridis, 6–8 ft | | 30 | | |
| 10-12 ft | | 45 30 | | |
| 8–10 ft | | 50 | | |
| GYMNOCLADUS—Ky. Coffee Tree, 3-4 ft | Gemination | 25 | | |
| 2–3 ft | . Gemmate | 15 | | |
| HALESIA TETRAPTERA—Silver Bell, 3-4 ft | .Gemmed | 25 | $^{-2} 00$ | |
| KOELREUTERIA—Paniculata, 4–6 ft | | 35 | | |
| IADIY Furnama Largh 2 4 ft | . Genealogist | 40 | 2 20 | 20.00 |
| LARIX —Europæa, Larch , 3–4 ft | | 25 35 | 3 00 | 20 00 |
| 6-8 ft | | 50 | 4 00 | |
| 8–10 ft | .Generality . | | 6 00 | |
| 10–12 ft | . Generally | 1 00 | 9 00 | |
| — Leptolepis, Japan Larch, 6–8 ft | | 65 | | |
| 8–10 ft | | 95 | 9 00 | |
| $10	ext{-}12 	ext{ ft} \dots \dots$ | | 1 10 1 50 | 10 00 | |
| LIQUIDAMBAR—Styrac., Sweet Gum, 4-6 ft., stocky | | 50 | 4 50 | |
| 6-8 ft., " | Generously | 60 | 5 50 | |
| 8–10 ft., " | Generosity | 80 | 7 50 | |
| LIRIODENDRON—Tulipifera, Tulip 6-8 ft | | 35 | 3 00 | |
| Tree, $8-10$ ft | | 55 | $\frac{5}{2}$ 00 | |
| 10-12 ft | | 75 | 7 00 | |
| 12-14 ft | | $\frac{1}{1} \frac{00}{50}$ | 8 50 12 50 | |
| MAGNOLIA—Acuminata, 4– 6 ft | | 40 | 3 50 | |
| 6- 8 ft | .Gentile | 60 | 5 50 | |
| 8–10 ft | | 75 | | |
| 10–12 ft | | 1 00 | | |
| — Alba Superba, 3–4 ft., with ball | | 85 | 8 00 | |
| — Conspicua, 2–3 ft. " | | 1 00 | | |
| 0-416 | | | | |
| — Glauca, 2–3 ft. " | | 65 1 75 | | |
| — Kobus, 2–3 ft " | | 65 | | |
| 3–4 ft., " | | 85 | | |
| —Lennei, 3–4 ft., | | 80 | 7 50 | |
| 4–5 ft., " | | 1 25 | 11 00 | |
| 9-0 Ib., | | 1 50 | | |
| 6–7 ft., " | | $\frac{2}{2} \frac{00}{00}$ | | |
| — Soulangeana, 2–3 ft., | ~ | 60 | 5 50 | |
| 3–4 ft., " | | 85 | 8 00 | 75 00 |
| 4–5 ft., " | | 1 20 | | 100 00 |
| 5–6 ft., " | | 1 50 | | |
| 6–7 ft., " | | 2 00 | 0.00 | |
| — Stellata, Halleana, 2–2½ ft., with ball | | 90 | 8 00 | |
| 2½-3 ft. " | | 1 60 | 15 00 | |
| 4–5 ft. " | | 2 00 | 10 00 | |
| — Tripetela, 3–4 ft. | | 35 | 3 00 | |
| 4–6 ft | | 60 | 5 00 | |
| 8–9 ft | .Ghastly | 1 00 | | |
| MORUS-Tatarica Pendula, Teas Weeping Mulberry, | 01. | co | | 50.00 |
| Medium Heads | | 60 75 | 5 50 7 00 | 50 00 65 00 |
| 1st class Heads Extra Heads | | 85 | 8 00 | 75 00 |
| Double Extra Heads | | 1 25 | | 100 00 |
| MALUS—Bechtels Dbl. Flg. Crab. 2-3 ft | . Ghostless | 30 | 2 70 | 25 00 |
| 3–4 ft | .Ghostlike | 40 | 3 75 | 35 00 |
| 4–5 ft | .Ghostly | 45 | 4 25 | 40 00 |
| — Floribunda, 2–3 ft | | 25 | 2.00 | |
| 3–4 ft | | 35 | 3 00 3 50 | |
| 4–5 ft | .Gianulike Ghostful | 40 30 | 5 50 | |
| — Parkmani, 2–3 ft | .Gib | 35 | 3 00 | |
| = W | | 00 | - 43 | |

| TRADE LIST | | | |
|---|-------------|---|--|
| MALUE Dedenori 2.4 ft | Tel. Code | \$ Each | Per 10 Per 100 |
| MALUS—Parkmani, 3–4 ft — Scheideckeri, 3–4 ft | | 35 | \$4 00 |
| PAULOWNIA—Imperialis, 3–4 ft | Gibe | 35 | |
| 6- 7 ft | Giber | 60 | |
| 10–12 ft | Gibing | 85 | 8 00 |
| 8-10 ft | | 45 | 4 00 \$35 00 |
| PLATANUS— 8-10 ft., 1½ in 10-11 ft., 1½ in | | 60 80 | 5 50 50 00 7 50 65 00 |
| PLATANUS— — Occidentalis, Am. Plane, 10-11 ft., 1½ in | | 1 20 | 11 50 100 00 |
| | Giddiness | $\overline{1}$ $\overline{65}$ | 16 00 150 00 |
| $12-13 \text{ ft.}, 2\frac{1}{4} \text{ in.}$ | Gig | | 16 50 |
| (8-10 ft., 1½ in | Giggle | 40 | 3 50 30 00 |
| POPULUS—Alba 10–12 ft., 1½ in | | $\begin{array}{c} 55 \\ 65 \end{array}$ | 5 00 40 00 6 00 |
| Canescens, Green Leaf Poplar, 11-12 ft., 134 in 12-14 ft., 2 in | Gilded | 80 | 0 00 |
| 12–14 ft., 2½ in | Gilding | $1 \overset{\circ}{00}$ | |
| $12-16 \text{ ft., } 2\frac{1}{2} \text{ in } \dots$ | Gilder | 1 25 | |
| 8-10 ft., 1 1/4 in | | 35 | 3 00 25 00 |
| —— Bolleana, Pyramidal, 10–12 ft., 1½ in | | 45 | 4 00 35 00 |
| (12–14 ft., 1¾ in (8–10 ft., 1¼ in | | $\frac{65}{25}$ | 6 00 |
| - 8-10 ft 11/2 in | | $\frac{20}{35}$ | |
| — Baisainnera, Baisain Fop., 10-12 ft., 13/4 in | | 50 | |
| 10–12 ft., 2 in | Gingle | 75 | |
| 8-10 ft | Giraffe | 25 | 2 00 15 00 |
| 10-12 ft., 1¼ in | | 35 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Poplar, Low branched 11–13 ft., 1½ in | Girder | 65 | 6 00 55 00 |
| straight leaders 13-15 ft., 2 in | Girding | 1 00 | 9 00 80 00 |
| $14-16$ ft., $2\frac{1}{4}$ in | Girdle | 1 10 | 10 00 |
| 9-10 ft., 1½ in | Girlhood | 30 | 2 50 20 00 |
| 11–12 ft., 1½ in | | $\frac{40}{50}$ | 3 50 30 00 4 50 35 00 |
| | .Girth | 60 | 5 00 40 00 |
| 14–15 ft., 2½ in | Girted | 75 | 7 00 60 00 |
| 14–15 ft., 2½ in | | 1 00 | 9 00 80 00 |
| NT 4 0 C. | Given | $\begin{array}{c} 1 \ 50 \\ 20 \end{array}$ | $\begin{array}{ccc} 12 & 50 \\ 1 & 50 \end{array}$ |
| — Norway, 4-6 ft. — Van Geertii, Gldn. Lf. Pop., \ \ 6-8 ft 8-10 ft., 1½ in | Gladden | $\frac{20}{20}$ | 1 00 |
| — van Geertii, Glan. Lr. Pop., {8-10 ft., 11/4 in | Glade | 25 | |
| PRUNUS—(See Shrubs). | | 0.5 | 0.00 |
| PTELIA—Trifoliata, Hop Tree, \ 3-4 ft | Gladness | $\frac{25}{35}$ | $\frac{2}{3} \frac{00}{00}$ |
| PYRUS—Aucuparia. (See Sorbus). | Gladsome | 50 | 3 00 |
| QUERCUS—Alba, White Oak, 5-6 ft. | .Glaze | 75 | |
| — Bicolor, 6–8 ft | | 80 | |
| 8–10 ft | .Glazen | 1 00 | |
| — Cerris, Turkey Oak, 12-14 ft., 2¼ in. — Coccinea, Scarlet Oak, 8 ft., 1¼ in | Gleam | $\frac{1}{75}$ | |
| 8–10 ft., 1½ in | .Gleamy | $1\ 25$ | |
| 10–12 ft., 1 3/4 in | .Gleaming | 1 50 | |
| — Imbricaria, 2–3 ft. | | 35 | |
| — Macrocarpa, 5– 6 ft | | 55 75 | |
| 8–10 ft | Gleaned | $\begin{array}{c} 75 \\ 1 \ 00 \end{array}$ | |
| - Palustris, Pin Oak, 8 ft., 11/4 in | .Glee | 85 | 8 00 |
| 8–10 ft., 1 ½ in | .Gleetul | 1 20 | 11 00 100 00 |
| 8-10 ft., 134 in | | 1 45 | 13 50 125 00 |
| 10–12 ft., 2 in | | $\frac{1}{1} \frac{65}{75}$ | 15 50 150 00 |
| 12 ft., 2¼ in | Glide | 2 00 | |
| 12-14 ft., 3 in | .Glider | $\overline{2}$ $\overline{50}$ | |
| — Ped. Fastigiata, Pyramidal Oak, 4-6 ft | | 75 | |
| — Prinus, Michauxii, 6-8 ft | .Glimmering | 1 00 70 | |
| 8–10 ft | .Glimpse | $\begin{array}{c} 75 \\ 1 \ 00 \end{array}$ | |
| — Rubra, Red Oak, 8 ft., 11/4 in | .Glistened | 1 75 1 00 | 9 00 |
| | | | |

| QUERCUS—Rubra, Red Oak, 8-10 ft., 11/2 in | Tel. Code | Each | Per 10 \$10 00 | Per 100 |
|--|------------|------------------------------|---|---------|
| 8–10 ft., 134 in | Gloam | $\frac{51}{1} \frac{15}{35}$ | 12 50 | |
| 10–12 ft., 2 in | | 1 60 | 15 00 | |
| $12 \text{ ft.}, 2\frac{1}{2} \text{ in.} \dots$ | | $\frac{1}{2}$ 50 | 10 00 | |
| — Tinctoria, 2–3 ft | | 35 | | |
| RHAMNUS—Catharticus. (See Shrubs). | | | | |
| RHUS—Cotinus, Purp. Mist or Fringe, (See Shrubs). | | | | |
| SALISBURIA— | a | | | |
| — Adiantifolia, Ginko, Maiden Hair 6-8 ft | | 40 | 3 50 | |
| Tree, 8-10 ft., 1 1/4 in. | | 65 | 5 00 | |
| $10-12 \text{ ft.}, 1\frac{1}{2} \text{ in.}$ | Glory | 1 00 | | |
| SALIX—Annularis, 4–6 ft | Glorying . | 1 25 | 0.00 | |
| — Babylonica, Weep. Willow, 6–8 ft. | Glorious | 25 35 | $\frac{2}{2} \frac{00}{50}$ | \$20 00 |
| 8–10 ft | Gloss | 45 | $\frac{2}{3} \frac{50}{50}$ | 30 00 |
| 10–12 ft | Glow | 55 | 4 50 | 40 00 |
| 10–12 ft., 2 in | Glowed | 75 | 6 50 | 10 00 |
| 12–14 ft., 3 in | Glowing | 1 50 | 0 00 | |
| - Pentandra, Laurel Leaf, Willow, 4-5 ft | Glue | 15 | 1 25 | 10 00 |
| 5- 6 ft | Glued | 18 | 1 50 | 12 50 |
| 6-8 ft | | 20 | 1 75 | 15 00 |
| 8–10 ft | Glum | 35 | | |
| 10–12 ft | Glummy | 50 | | |
| — Rosmarinifolia, bush, 2–3 ft | Glutton | 15 | 1 20 | |
| 3–4 ft | Glutted | 20 | 1 80 | 15 00 |
| — Solomoni, Solomon's Weeping, 6-8 ft | Go | 25 | | |
| 8–10 ft | Goad | 30 | | |
| — Thurlow, Weeping Willow, 6-8 ft | | 25 | 2 00 | 15 00 |
| 8-10 ft | Goal | 30 | 2 50 | |
| 10–12 ft | Goat | 40 | 3 50 | 10.00 |
| — Vitellina Aurea, Golden Bark Willow, 3-4 ft | | 20 | 1 50 | 10 00 |
| 4-6 ft | Godiske | 25 | 1 75 | 15 00 |
| SOPHORA—Japonica, 3–4 ft | Godly | 30 | $\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$ | |
| 4–5 ft | Coldon | 35 55 | 5 00 | |
| SORBUS—Aucuparia, Eng. Mt. Ash, 6-8 ft | Goldenith | 30 | $\frac{3}{2} \frac{00}{75}$ | 25 00 |
| 8–10 ft | Golf | 45 | 4 00 | 20 00 |
| 10–12 ft | | 55 | 5 00 | |
| — Pendula, Weep. Mt. Ash, on 6 ft. stems, 2 yr | | 45 | 0 00 | |
| — — Quercifolia, Oak Leaf Mt. Ash, 6-8 ft | Gorgeous | 25 | | |
| SYRINGA—Pendula, Weeping Lilac, 5–6 ft | Gormandize | 1 00 | | |
| $8-9$ ft., $1\frac{1}{4}$ in | | 55 | 4 50 | 40 00 |
| 9–10 ft., 1½ in | Gossip | 75 | 6 50 | 60 00 |
| TILIA —Americana, 10–11 ft., 13/4 in | | 1 05 | 9 50 | 85 00 |
| Am. Linden, $\begin{cases} 11-12 \text{ ft., } 2 \text{ in } \dots \end{cases}$ | | 1 35 | | 100 00 |
| $11-12$ ft., $2\frac{1}{4}$ in | Governing | 1 50 | 12 50 | |
| 12–13 ft., 2½ in | | 1 75 | 15 00 | |
| [13–14 ft., 3 in | | 2 00 | | |
| — Dasystyla, 8–10 ft., 1½ in | | $\frac{1}{2} \frac{00}{00}$ | | |
| | | 60 | 5 50 | 45 00 |
| $ \begin{cases} 8-9 & \text{ft., } 1\frac{1}{4} \text{ in } \dots \\ 9-10 & \text{ft., } 1\frac{1}{2} & \text{in } \dots \end{cases} $ | Graces | 85 | 7 50 | 65 00 |
| — Europæa, Vulgaris, 10–11 ft., 13/4 in | | 1 10 | 10 00 | 90 00 |
| European Linden, {11-12 ft., 2 in | Grade | 1 35 | | 120 00 |
| 111–12 ft., 2 1/2 in | Grading | 1 50 | 13 50 | 120 00 |
| 11–12 ft., 2½ in | Grader | 1 75 | 15 00 | |
| 13–14 ft., 3 in | Graded | 2 00 | | |
| 8-9 ft., 1¼ in | | 55 | 4 50 | 40 00 |
| 9–10 ft., 1½ in | | 75 | 6 50 | 60 00 |
| — Plataphylla, Europ. 10-11 ft., 134 in | | 1 10 | 9 50 | 85 00 |
| Large Leaved Linden, \\ 11-12 ft., 2 in | | 1 35 | $12 \ 50$ | 100 00 |
| $ 11-12 \text{ ft.}, 2\frac{1}{4} \text{ in } \dots$ | Grandness | 1 50 | 13 50 | |
| 12–13 ft., 2½ in | Grandeur | 1 75 | $15 \ 00$ | |
| \(\begin{aligned} \begin{aligned} \tau_{-14} & \text{ft.}, 3 & \text{in} \\ \text{in} & in | | 2 00 | 17 50 | |
| — Alba Argentea, Silver Lf. Linden, 6–8 ft | | 65 | 6 00 | |
| 8-10 ft., 1½ in | | 1 10 | 10 00 | |
| 10-12 10., 1% 11 | | 1 35 | | |
| 10–12 ft., 2 in | Grasp | 1 75 | | |
| z_{2} in | Grasper | 2 00 | | |

| | | Company of the Compan | | | |
|-----------------------|-------------------------|--|----------|--------|-----------|
| TILIA—Alba Argentea. | Silver Lf. Linden, 3 in | Tel. Code . Graspingly | | Per 10 | Per 100 |
| | nentosa, 6–8 ft | | 75 | | |
| opecation 1 on | 8–10 ft | | 1 00 | | |
| | 8-10 ft., 1¼ in | | 40 | \$3 50 | \$30.00 |
| ULMUS-Americana, | 9-11 ft., 1½ in | | 60 | 5 50 | 45 00 |
| American Elm, | { 10–12 ft., 134 in | .Groan | 80 | 7 50 | $65 \ 00$ |
| - Montana, Scotch, | 111–13 ft., 2 in | | 1.15 | 10 00 | 90 00 |
| Elm, | 11-13 ft., 2¼ in | . Groaning | $1 \ 25$ | | |
| • | 12–14 ft., 2½ in | .Grocer | 1.50 | | |
| — — Camperdown, Wee | ping Elm, 1 yr. Hds | .Ground | 40 | | |
| * | 2 yr. Hds | | 55 | | |
| VIRGILIA—(See Cladras | | | | | |

DECIDUOUS SHRUBS

The shrubs we offer are of standard, commercial grade, young and thrifty. They are not crowded in rows to make them grow tall but are given space enough for proper development. This insures a bushy and full plant which far more than height ought to be and indeed is the standard of excellence. Nearly all our shrubs are dug with a tree digger thus insuring good roots and are exactly what we represent them to be in all particulars.

| mouning good roots and are exactly white we represent | | - | | |
|---|---|--|--|---------------|
| | Tel. Code | Each | Per 10 | Per 100 |
| ABELIA—Rupestris, 2 yr., 3 in. pots | Pace | 20 | 1 50 | |
| ACER—Tataricum Rubrum, 4-5 ft., low branched | | 30 | | |
| — Ginnala, 3–5 ft., low branched | | 25 | 2 00 | |
| - Chinata, 5-5 to, low branched | i acci | | | |
| 5–7 ft., "— Japonicum Aureum, Golden Lvd., ½-2 ft | Pacinc | 35 | $^{3} 00$ | |
| — Japonicum Aureum, Golden Lvd., 1½–2 ft | Pacing | 65 | | |
| 2 -3 ft | Packed | 75 | 7 00 | |
| 3 -4 ft | Package | $1\ 25$ | 10 00 | |
| | | | | |
| — Polymorphum, Green Leaved, 2–3 ft., extra bushy | | 30 | 2 50 | |
| 3–4 ft., " " | .Packet | 45 | $4\ 00$ | $35 \ 00$ |
| 4-5 ft., " " | . Pact | 55 | 5 00 | |
| — — Atropurpureum, Purple Leaved, 18-24 in | | 60 | 5 50 | |
| | | | | 00 00 |
| 2–2½ ft | Pad | 80 | 7 00 | 60 00 |
| 2½–3 ft | Padded | 95 | 8 50 | 75 0 0 |
| 3 -4 ft | Padder | 1.50 | 12.50 | 100 00 |
| | Paddy | $\frac{1}{2} \frac{50}{50}$ | $-20\ 00$ | 100 00 |
| | | | | |
| — — Dissectum, Cut Lf. Purple, 18–24 in | | 75 | 7 00 | |
| $2-2\frac{1}{2}$ ft | Paddle | 1 00 | 9 00 | |
| 2½-3 ft | Paddler | 1 50 | | |
| 3–3½ ft | Doddod | $\frac{1}{2} \frac{1}{50}$ | | |
| D' | raducu | | | |
| — — Dissectum, Cut Leaved Green, 1½-2 ft | | 75 | | |
| 2 -3 ft | Padlock | $1 \ 25$ | | |
| — — Filicifolia, 3–4 ft | Pagan | 1 00 | | |
| — — Rosea Marginata, 3–4 ft | Daganiem | 1 00 | | |
| V | r agamsm . | | | |
| — Versicolor, 3 ft | Paganize | 1 00 | | |
| AMELANCHIER—Botryapium, 2–3 ft | Paganized | 15 | $1 \ 25$ | |
| | | | | |
| 3–4 tt | . Paganizing | 18 | 1.50 | |
| 3-4 ft | Paganizing | 18 | 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft | Page | 10 | 90 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft 3–4 ft | Page Paging | $\frac{10}{12}$ | $\begin{array}{c} 90 \\ 1 \ 00 \end{array}$ | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft 3-4 ft 4-5 ft | Page Paging | 10 | 90 | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft 3-4 ft 4-5 ft | Page Paging | $\frac{10}{12}$ | $\begin{array}{c} 90 \\ 1 \ 00 \end{array}$ | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft | Page Paging Pages | 10 12 18 | 90 1 00 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft | PagePagingPages | 10 12 18 | 90 1 00 1 50 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft | PagePagingPagesPagedPageant | 10 12 18 18 20 | 90 1 00 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2-3 ft | PagePagingPagesPagedPageantPageantry. | 10 12 18 18 20 25 | 90 1 00 1 50 1 50 1 80 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft | Page Paging Pages Paged Pageant Pageantry Paid | 10 12 18 18 20 | 90 1 00 1 50 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft | Page Paging Pages Paged Pageant Pageantry Paid | 10 12 18 18 20 25 18 | 90 1 00 1 50 1 50 1 80 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. 4–5 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. | . Page Paging Pages Paged Pageant Pageantry Paid Paid Paid | 10 12 18 18 20 25 18 40 | 90 1 00 1 50 1 50 1 80 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. 4–5 ft AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft Georgica, 3–4 ft ANDROMEDA—Arborea, Oxydendron, 2–3 ft 3–4 ft | Page Paging Pages Paged Pageant Pageant Paid Pail Pail Pained | 10 12 18 18 20 25 18 40 45 | 90 1 00 1 50 1 50 1 80 1 50 3 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. — Mariana, 18–24 in | Page Paging Pages Paged Pageant Pageant Paid Pail Pained Pain | 10 12 18 18 20 25 18 40 45 20 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. | Page Paging. Pages. Paged Pageant Pageantry Paid Pail Pained Pain Painn Painful | 10 12 18 18 20 25 18 40 45 20 15 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. | Page Paging Pages Paged Pageant Pageantry Pail Pail Pained Pain Painful Paining | 10 12 18 18 20 25 18 40 45 20 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. | Page Paging Pages Paged Pageant Pageantry Pail Pail Pained Pain Painful Paining | 10 12 18 18 20 25 18 40 45 20 15 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft | Page Paging Pages Paged Pageant Pageantry Paid Paid Pained Pain Painful Paining Painless | 10 12 18 18 20 25 18 40 45 20 15 18 20 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft 4–6 ft | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Pain Painful Paining Painiess Paint | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 25 25 25 25 20 25 25 25 25 20 25 25 20 25 20 25 20 20 20 20 20 20 20 20 20 20 20 20 20 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 80 1 80 2 20 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft 4–6 ft 6–8 ft | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Pain Painful Paining Painless Paint Paint Paint | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 35 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft 4–6 ft 6–8 ft | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Pain Painful Paining Painless Paint Paint Paint | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 | |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. Spinosa, 3–4 ft 4–6 ft. 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. | Page Paging Pages Paged Pageant Pageantry Pail Pained Pain Painful Paining Paintess Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Paint | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 35 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. Spinosa, 3–4 ft 4–6 ft. 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. | Page Paging Pages Paged Pageant Pageantry Pail Pained Pain Painful Paining Paintess Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Paint | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 35 35 15 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft ANDROMEDA—Arborea, Oxydendron, 2–3 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. — Spinosa, 3–4 ft 4–6 ft 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. 3–4 ft. | Page Paging Pages Paged Pageant Pageantr Paid Pail Pained Pain Painful Paining Paintless Paint Paintless Paint Paintless Pair Pair Paired Paired Palace | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 35 45 45 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft 4–6 ft 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. | Page Paging. Paged Pageant Pageant Pageantry Paid Pail Pained Pain Painful Paining Painless Paint Paint Paint Paire Paire Paire Paire Paire Paire Paire Paire Palace Palace | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 18 45 20 15 18 20 15 18 20 15 18 20 15 18 20 15 18 20 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. — Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. 3–4 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. — Spinosa, 3–4 ft 4–6 ft 6–8 ft 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. 3–4 ft. | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Pain Painful Paining Painless Paint Paint Paint Paint Paint Paired Pair Paired Palace Palatal Pales | 10 12 18 20 25 18 40 45 20 15 18 20 25 35 45 15 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. Spinosa, 3–4 ft 4–6 ft 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. 3–4 ft. AZALEA—Arborescens, 12–18 in | Page Paging. Paged. Pageant Pageantry Paid Pail Pained Painning Paining Paintes Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Paint Painting Pair Palec Palec | 10 12 18 18 20 25 18 40 45 20 15 18 20 25 18 45 20 15 18 20 15 18 20 15 18 20 15 18 20 15 18 20 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. Spinosa, 3–4 ft. 4–6 ft. 6–8 ft. 8–10 ft. ARONIA—Arbutifolia nigra, 2–3 ft. — rubra, red berried, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. 3–4 ft. AZALEA—Arborescens, 12–18 in 1½–2 ft | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Painning Painful Paining Paint Paint Paint Paint Pair Pair Pair Paired Palace Palace Paler Paleness Pale | 10 12 18 20 25 18 40 45 20 15 18 20 25 35 45 15 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. — Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. Spinosa, 3–4 ft. 4–6 ft. 6–8 ft. 8–10 ft. ARONIA—Arbutifolia nigra, 2–3 ft. — rubra, red berried, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. 3–4 ft. AZALEA—Arborescens, 12–18 in 1½–2 ft | Page Paging Pages Paged Pageant Pageantry Paid Pail Pained Painning Painful Paining Paint Paint Paint Paint Pair Pair Pair Paired Palace Palace Paler Paleness Pale | 10 12 18 20 25 18 40 45 20 15 18 20 25 35 45 18 15 18 15 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |
| AMORPHA—Fruticosa, False Indigo, 2–3 ft. 3–4 ft. 4–5 ft. AMYGDALUS—Flowering Almond, Pink and White, 2–3 ft. 3–4 ft. 4–5 ft. Georgica, 3–4 ft. ANDROMEDA—Arborea, Oxydendron, 2–3 ft. Mariana, 18–24 in ARALIA—Pentaphylla, 2–3 ft. 3–4 ft. Spinosa, 3–4 ft 4–6 ft 6–8 ft 8–10 ft ARONIA—Arbutifolia nigra, 2–3 ft. 3–4 ft. — rubra, red berried, 2–3 ft. 3–4 ft. AZALEA—Arborescens, 12–18 in | Page Paging Paging Pages Paged Pageant Pageantry Paid Pail Pained Pain Painful Paining Painless Paint Paired Pair Paired Pair Paired Palace Palace Palace Paler Paler Paler Paler Paler Pallid | 10 12 18 20 25 18 40 45 20 15 18 20 25 35 18 15 18 15 18 | 90 1 00 1 50 1 50 1 80 1 50 3 50 1 80 1 20 1 50 1 80 2 20 3 00 3 50 1 20 | 10 00 |

| AZALEA—Calendulacea, 15-18 in | dl. Code Each Per 10 Per 10 | 00 |
|---|---|-----|
| 18-24 in | or 40 | |
| - Mollis Colors Mixed, 12-15 in | | |
| 15–18 in | | |
| 18–24 in | |)() |
| 2 ft Palm — Mollis Colors named, 18–24 in | $\frac{1}{1}$ netto $\frac{75}{50}$ $\frac{6}{4}$ $\frac{50}{50}$ | |
| 2-3 ft | ing 50 4 50 istry | |
| - Nudiflora, 2–3 ft. Palpi | itate 50 4 50 | |
| 3–4 ftPalpi | | |
| - Pontica Ghent, 15-18 in | v 40 | |
| 18–24 in | | 00 |
| $2-2\frac{1}{2}$ ft., yellow Palto | er 60 | |
| Vaseyi, 12-18 in. Paltr 18-24 in. Paltr | y <u>35</u> | |
| 18–24 in | riness . 50 | |
| — Viscosa, 12–18 in | 30 | |
| 18–24 in Pamp BACCHARIS—Halimifolia, 3–4 ft Pam | pas 45 4 00 | |
| 4 5 ft Domi | normad 10 | |
| BERBERIS—Thunbergii, 12–18 in., bushy plants Pan 1½–2 ft., "med. Pana | 10 80 6 0 | വ |
| 1½-2 ft " med. Pana | icea 12 1 00 8 0 | |
| $1\frac{1}{2}$ -2 ft., extra bushyPano | ch 15 1 20 10 0 | |
| 2-2½ ft., bushy plants Pane | eling | 00 |
| — Vulgaris, 1½−2 ft | 25 2 00 18 0 | 00 |
| — Vulgaris, 1½–2 ft | eled 10 80 | |
| ∠ -o 1tPang | (15 1 20 10 (| 00 |
| 3 -4 ft | | 00 |
| — — Purpurea, 1½–2 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 2 -3 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| BUDLEYA—Intermedia, 2 yr. Pant | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| — Veitchi, 2 yr | aloon 18 1 50 12 (| |
| CALLICARPA—Purpurea, 2–2½ ft. Pant | ther 12 1 00 | - |
| 2½-3 ftPant | ing 15 | |
| CALYCANTHUS—Floridus, 1½–2 ft | comine 10 80 6 0 | |
| 2 -3 ftPant | | |
| 3 -4 ftPap | 18 1 50 12 0 | w |
| CARAGANA ARBORESCENS—Siberian Pea Shrub, | 12 1 00 | |
| 2–3 ft | | |
| CARYOPTERIS—Mastacantha, 1 yr., in pots Papa | icy | |
| 2 yr., field grownPapa | alist 12 90 8 0 | 00 |
| CELTIS—Occidentalis, 2–3 ft | er 15 1 25 | |
| 3–4 ft | ered 20 1 80 | |
| 4–5 ft | | |
| CEPHALANTHUS—2–3 ft | st 15 1 25 10 0 | ŲŲ |
| 3–4 ft. Papi CERCIS—Canadensis, American Judas Tree, 2–3 ft Papi | stic 18 1 50 | Ω |
| CERCIS—Canadensis, American Judas Tree, 2–3 it Papi | ze 20 1 70 15 (stry 25 2 25 20 (| |
| 3–4 ftPapi 4–5 ftPap | | w |
| — Japonica, Japan Judas, 1½–2 ft | | 00 |
| 2 -3 ft | | |
| 3 -4 ftPara | chute 25 | |
| CHIONANTHUS—Vir Wh. Fringe, 2–3 ft | clate . 20 1 50 | |
| 3-4 ft Para | 30 250 200 | 00 |
| 4–5 ft Para | | |
| CLETHRA—Acuminata, 2–2½ft Para | dox 20 1 50 | ΛΛ |
| — Alnifolia, 1½–2 ft | | |
| 2–2½ ft | 8 8 | w |
| COLUTEA—Arborescens, 2–3 ft | | |
| 3-4 ftPara | 8-1 | |
| CORCHORUS—(See Kerria). | | |
| CORNUS—Alba, Red Branched Dogwood, 12-3 ft Para | lleled 12 1 10 10 (| 00 |
| (Stolonifera), 3-4 ft Para | lytical 15 1 30 | |
| — Elegantissima, Variegated, 1½–2 ft Para | lyzing 15 1 30 | |
| 2–2½ ftPara | lysis 20 1 80 | |
| 3 ft | | |
| - Kousa, 2–3 ft | 1126 90 | |

| TRADE LIST | | | | 11 |
|---|------------------|---|---|-------------------------|
| | Tel. Code | Each | Per 10 | Per 100 |
| CORNUS—Mascula, 3–4 ft — Paniculata, 2–3 ft | Parapet | 15 | \$1 20 | |
| 3–4 ft. — Sericea, silky, 2–3 ft | Parasite | 20 10 | 90 | \$ 8 00 |
| 3–4 ft | Parboil | 15 | | |
| — Siberica, 2–3 ft | Parcel | 12 15 | $\frac{1}{1} \frac{00}{30}$ | $\frac{10\ 00}{12\ 00}$ |
| - Spæthii, Variegated, 1½-2 ft | Parched | 15 20 | $\frac{1}{1} \frac{25}{80}$ | |
| 2 -3 ft | Parchment | 15 | 1 20 | |
| 3-4 ft CORYLUS—Purpurea, Purple Filbert, 1½-2 ft | Pardon | 18 15 | 1 50 | |
| CRATAEGUS. (See Trees). | | | | |
| CYDONIA—Japonica, Japan Quince, 1½-2 ft., extra 2 -3 ft | Parent | 10 15 | $-\frac{80}{1.20}$ | $\frac{7\ 00}{10\ 00}$ |
| 3 -4 ft | Parental | 20 | 1 20 | 10 00 |
| — — Alba, White Japan Ouince, 1½–2 ft | Parentless | 15 | | |
| 2-2½ ft | | 20 | | |
| — — Maulei, 18 in | Paregoric Parget | $\begin{array}{c} 15 \\ 25 \end{array}$ | | |
| 18–24 in. red and white) | | 35 | | |
| 2–3 ft () | Paris | 50 | | |
| — Genkwa, 18 in | Pariah | 45 | | |
| DESMODIUM —Penduliflorum, 2–3 ft | Parish | 12 | 1 00 | 8 00 |
| 3–4 ft | | 15 10 | 1 25 80 | 7 00 |
| DEUTZIA —Candidissima, $\begin{cases} 2-3 \text{ ft.} \\ 3-4 \text{ ft.} \end{cases}$ | Parley | 15 | 1 20 | 10 00 |
| — Crenata fl. pl., 4–5 ft | . Parlor | 20 | 1 80 | 15 00 |
| — Gracilis, 12–18 in., bushy | Parochial | 10 | 90 | 8 00 |
| 18–24 in., " | Parole | 13 | 1 10 | 10 00 |
| 2–2½ ft., "———————————————————————————————————— | | 15 | 1 20 | 9 00 |
| 2-2½ ft | | $\frac{10}{12}$ | 90 1 10 | 8 00 10 00 |
| 2½-3 ft | Parquet | $\tilde{1}\tilde{5}$ | 1 10 | 10 00 |
| — — Parviflora, 18–24 in | Parquetry | 08 | | |
| 2-3 ft | Parrot | 10 | 00 | = =0 |
| — Pride of Rochester, 2–3 | | 10 | 1 20 | 7 50 |
| 3–4 ft | | $\frac{15}{20}$ | 1 80 | $10 00 \\ 15 00$ |
| — — Vilmorin (new) | | $1\ \widetilde{00}$ | 1 00 | 10 00 |
| DIERVILLA—(See Weigela). | | 10 | 1 00 | |
| ELEAGNUS—Angustifolia, Rus. Olive, $\begin{cases} 2-3 \text{ ft} & \dots \\ 3-4 \text{ ft} & \dots \end{cases}$ | Part Partable | 12 18 | $\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$ | 12 00 |
| | Partage | $\overset{\circ}{20}$ | 1 80 | 12 00 |
| — Longipes, 2–3 ft | | 12 | 1 10 | 10 00 |
| 3–4 ft | | 15 | 1 30 | 12 00 |
| 4-5 ft | | $\frac{20}{75}$ | | |
| ENKIATHUS—Japonica | Partial | $\frac{13}{25}$ | 2 00 | 15 00 |
| 2–3 ft | Partialistic | 30 | $\frac{5}{2}$ 50 | 20 00 |
| 3–4 ft | Partialist | . 45 | 4 00 | 35 00 |
| | . Partially | 60 | 5 50 | |
| —— Bungoides | | 50 | 9.50 | |
| — Americana, 3–4 ft | Participant | 30 40 | $\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$ | |
| — Europ. Eng. Strawberry Tree, 3–4 ft | Participated | 20 | 1 50 | |
| 4–6 ft | Participate | $\overline{25}$ | 2 00 | 18 00 |
| EXOCHORDA—Grandiflora, 2–3 ft | | 15 | 1 25 | 12 00 |
| 3–4 ft | | 20 | 1 75 | 15 00 |
| 4– 5 ft FORSYTHIA —Fortunei, 2–3 ft | Particularly | $\frac{25}{13}$ | $\begin{array}{ccc} 2 & 25 \\ 1 & 20 \end{array}$ | 10 00 |
| 3–4 ft | Partisan | 15 | 1 20 | 10 00 |
| — — Aurea, 2–3 ft | Partitive | 10 | 90 | 8 00 |
| 3–4 ft | Partlet | 15 | 1 20 | 0.00 |
| — Intermedia, 2–3 ft | Partitioned | 12 | 1 10 | 9 00 |
| 3–4 ft | Partner | $\begin{array}{c} 18 \\ 15 \end{array}$ | 1 50 1 20 | $10 00 \\ 10 00$ |
| 3-4 ft | Partners | 18 | 1 50 | 12 00 |
| 4–5 ft | Partnership | $\tilde{25}$ | $\frac{1}{2}$ 20 | 20 00 |
| | I- | | | |

| EODCYTUIA Vinidiagima 9.9 ft | Tel. Code | Each | | Per 100 |
|---|-------------|-------------------|---|--------------------|
| FORSYTHIA— Viridissima, 2–3 ft | Docabal | \$ 12 15 | \$1 00 : 1 20 | 10 00 |
| 4–5 ft | | 20 | 1 20 | 10 00 |
| FOTHERGILLA—Alnifolia | | 20 | 4 | |
| GENISTA—Tinctoria, 2 yr | | | 1 20 | |
| — Scoparia, 2–3 ft | | 35 | 3 00 | |
| HALEŠIA—(See Trees). | | | | |
| HAMAMETIC Wing Witch Hand 12-3 ft | Passage | 12 | | |
| 19-110 | Passed | 15 | 1 25 | |
| HIBISCUS—Althea, Single $\begin{cases} 18 \text{ in.} \\ 2-3 \text{ ft.} \end{cases}$ | Passably | 08 | | |
| Did Did Davis D. 1 - 1 Will to 11/2 0.0 | Passade | 10 | 00 | 0.00 |
| — Dbl. Pink, Purple, Red and White, 1½-2 ft | Passenger | 10 | 80 | 6 00 |
| 2 - 3 ft $3 - 4$ ft | Passible | $\frac{12}{15}$ | $\frac{90}{1\ 20}$ | 8 0 0 10 00 |
| | Passionate | $\frac{13}{20}$ | 1 20 | 10 00 |
| — Variegated Leaved, 2–3 ft | | | 1 20 | |
| 3–4 ft | | 20 | $\hat{1} \ \hat{50}$ | |
| — Standard, Tree form, 3-4 ft | | $\overline{35}$ | 3 00 | 25 00 |
| 5–6 ft | Passiveness | 40 | 3 50 | |
| HIPPOPHAEA—2-2½ ft | Passover | 15 | 1 20 | |
| 3–4 ft | Passport | 20 | 1 50 | |
| HYDRANGEA—Arborescens, 3–4 ft | Past | 15 | | |
| — — Grandiflora alba, (new), 18–24 in | | 18 | 1 50 | 1- 00 |
| 2–3 ft | | 20 | 1 75 | 15 00 |
| 3-4 ft | Pastime | 25 | 2 25 | 20 00 |
| — Brettschneideri, from pots | | $\frac{1}{35}$ | | |
| - Nivea, 2 ft | Pactorchin | 15 | 1 20 | 10.00 |
| 3 ft | Pastry | 18 | 1 50 | 12 00 |
| 3–4 ft., X | Pasture | 20 | 1 75 | 15 00 |
| $4-\hat{5}$ ft | | $\frac{1}{25}$ | $\hat{2} \ 00$ | 1000 |
| — — Std., Tree Form, 1st class | | 35 | 3 00 | |
| extra | | 40 | 3 50 | |
| — — Tardiva, 3–4 ft | | 20 | | |
| — Radiata, 2–3 ft | | 35 | | |
| — Scandens, 12 in | | 15 | 1 00 | 0.00 |
| $\begin{cases} 1 \text{ yr} \dots \\ 19 \text{ 15 in} \end{cases}$ | | 12 | $\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$ | 8 00 |
| — Otaksa, 12–15 in | | $\frac{20}{25}$ | $\frac{1}{2} \frac{50}{00}$ | 12 50 |
| 18 in., bushy | | $1 \frac{23}{50}$ | 2 00 | |
| — Hortensia, 1 yr. | | 12 | 1 00 | 8 00 |
| 12–15 in | | 20 | 1 50 | 2 00 |
| — Quercifolia, 18 in | | 35 | | |
| HYPERICUM—Aureum, 1½–2 ft | Pathetic | 12 | 1 10 | |
| 2–2½ ft | | 15 | 1 25 | 12_00 |
| 2½–3 ft | | 18 | 1 50 | |
| — Densiflorum, 1½–2 ft., bushy | Pathos | 10 | 1 20 | |
| 2 -3 ft., " | Pathway | 15 | 1 30 | |
| — Moserianum, 1 yr., in pots | | $\frac{06}{12}$ | 1 10 | 10 00 |
| 2 y1., neid | Patness | 12 | 1 10 | 10 00 |
| ILEX—Verticillata, (Prinos), $\begin{cases} 1\frac{1}{2}-2 & \text{ft} \\ 2-2\frac{1}{2} & \text{ft} \end{cases}$ | Patroit | 18 | 1 60 | 15 00 |
| Black Alder, $\begin{pmatrix} 2 \frac{1}{2} - 3 & \text{it} \\ 2 \frac{1}{2} - 3 & \text{ft} \end{pmatrix}$ | . Patriotic | 20 | | |
| ITEA—Virginica, 1½–2 ft. | Patrol | 13 | 1 20 | 10 00 |
| 2–2½ ft | Patrolling | 15 | 1 30 | |
| JASMINUM—Nudiflorum, Yel. Jasmine, 2 yr | Patron | 15 | 1 20 | |
| 3 yr., extra bushy | . Patroness | 20 | 1 80 | 15 00 |
| KERRIA—Japonica, Single Flg., 1½–2 ft | | 12 | 1 10 | |
| Db1 Playaring Carehams 18 24 in | | 18 | 1 50 1 10 | |
| — — Dbl. Flowering Corchorus, 18–24 in | | 12 18 | 1 50 | |
| — Variegata, Dwf. Var. Lf., 12–18 in., bushy | | 12 | 1 00 | |
| LAURUS—Benzoin, 2–3 ft | | 18 | 1 50 | |
| I DODDDD 7 A Discley Duch Clayer 2 4 ft | Dottoring | 15 | 1 30 | 12 00 |
| LICHETPIIM American 12-3 ft | Pattern | 10 | 80 | |
| LIGUSTRUM—Amurense, 3-4 ft | Patterned | 12 | 1 00 | |
| — Ibota, 1½–2 ft | | 07 | 65 | 6 00 |
| 2 –3 ft | Pauper | 10 | 90 | 8 00 |
| 3 -4 ft | Pauperism | 12 | 1 10 | |
| e | | | | |

| LICHETDIM Continued | Tel. Code Each | Per 10 | Per 100 |
|--|--|--|---|
| LIGUSTRUM—Continued | | | |
| — Regelianum, 1½–2 ft., bushy | uperize \$ 12 | | \$10 00 |
| 2-2½ ft., " | use 15 | 1 30 | 12 00 |
| 2½-3 ft., " | used 18 | 1 75 | 15 00 |
| | 20 | 1.0 | 10 00 |
| — Ovalifolium, California Privet— | | 1.77 | 1 70 |
| 12-18 in., well branched, per 1000 \$15 00Pa | using 03 | 17 | 1 50 |
| 18–24 in " " 1000 18 00 Pa | ve 04 | 25 | $2\ 25$ |
| 2–3 ft., " 1000 25 00Pa | ved 05 | 40 | 3 00 |
| 3 ft., " 1000 35 00Pa | vement 08 | | 4 00 |
| 5 It., 1000 55 00 1 a | ivement 08 | 60 | |
| 3-4 It., Extra | | 70 | 5 00 |
| 4-6 ft., extra transplanted | ivilion 15 | 1 20 | 10 00 |
| — Standard, (Tree Form), 4–5 ft., 1 yr. headsPa | w 50 | 4 00 | |
| 2 yr. "Pa | 75 | 1 00 | |
| 2 yrra | wed 75 | 4 00 | |
| — — Ball or Globe form, 18 in. diam | wing 45 | 4 00 | |
| — — Aureum, Golden Privet, 12–18 in | 12 | 1 00 | 6 00 |
| 18–24 in | | 1 10 | 8 00 |
| | | | 0 00 |
| 2–3 ft | | 1 50 | |
| — — Elegans, Var. Privet, 12–18 in | | 1 00 | 6 00 |
| 18–24 in | wning 13 | 1 10 | 8 00 |
| 2–3 ft | ıv 15 | 1 30 | 12 00 |
| 2 d ft | wohla 20 | | |
| 3–4 ft | | 1 80 | 15 0 0 |
| — Vulgaris, 2–3 ftPa | lying 10 | 80 | |
| 3-4 ft | yment 12 | | |
| LONICERA—Alberti, 18–24 in Pe | ace 13 | 1 20 | |
| | | 1 20 | |
| 2–3 ft | | 1 77 | 15 00 |
| — Fragrantissima, 2–3 ft Pe | | 1 75 | 15 0 0 |
| 3–4 ft | eacefulness 25 | 200 | 18 00 |
| — Tatarica, Bush Honeysuckle, 2-3 ft Pe Pink, White and Yellow, 3-4 ft Pe Morrowi, 4-5 ft Pe Ruprechtiana, 2-3 ft Pe | eaceless 12 | 1 00 | 8 00 |
| Dinla White and Wellow 2 4 ft | 15 | | |
| Pink, white and renow, 3-4 it | eacock 15 | 1 20 | 10 00 |
| Morrowi, (4–5 ftPe | ak 20 | 1 80 | 15 00 |
| — Ruprechtiana, 2–3 ft | eaked 15 | 1 20 | 10 00 |
| | | | |
| MYRICA—Cerifera, Bay Berry, 18-24 in., bushy Pe | olrina 20 | 1 90 | |
| WITKICA—Cernera, Day Derry, 10-24 m., busing re | aking 20 | | |
| 2–3 ft., · · · | eakish 25 | $2\ 25$ | |
| | | | |
| 3–4 ft., " Pε | eal 30 | $^{2} 80$ | |
| 2-3 ft., "Pe 3-4 ft., "Pe OXYDENDRON—(See Andromeda) | eal 30 | 2 80 | |
| OXYDENDRON—(See Andromeda). | | 2 80 | |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in Pe | ealing 25 | 2 80 | |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in Pe 18–24 in Pe | ealing 25 earl 35 | 2 80 | |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in Pe 18–24 in Pe | ealing 25 earl 35 | 2 80 | |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in Pe 18–24 in | ealing 25 earl 35 eat 15 | | 8 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–24 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | ealing | 90 | 8 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Pe PHILADELPHUS—Avalanche, 2–3 ft Pe — Coronarius, Mock Orange, Syringa, 2–3 ft Pe 3–4 ft Pe | ealing | 90 1 10 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Pe PHILADELPHUS—Avalanche, 2–3 ft Pe — Coronarius, Mock Orange, Syringa, 2–3 ft Pe 3–4 ft Pe 4–5 ft Pe | ealing | 90 1 10 1 80 | |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. | ealing | 90 1 10 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. | ealing | 90 1 10 1 80 1 00 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. Per 18–26 in., bushy Per 18–26 in. | ealing 25 earl 35 earl 15 eak 10 eaked 12 eaking 20 eatinal 12 eatinated 15 | 90 1 10 1 80 1 00 1 20 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. Per 18–26 in., bushy Per 18–26 in. | ealing 25 earl 35 earl 15 eak 10 eaked 12 eaking 20 eatinal 12 eatinated 15 | 90 1 10 1 80 1 00 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. Per 18–26 in., bushy Per 18–26 in. | ealing 25 earl 35 earl 15 eak 10 eaked 12 eaking 20 eatinal 12 eatinated 15 | 90 1 10 1 80 1 00 1 20 1 50 | .10 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. Per 18–26 in., bushy Per 18–26 in. | ealing 25 earl 35 earl 15 eak 10 eaked 12 eaking 20 eatinal 12 eatinated 15 | 90 1 10 1 80 1 00 1 20 | .10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 | .10 00 15 00 8 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 | .10 00 15 00 8 00 10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 | .10 00 15 00 8 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 | .10 00 15 00 8 00 10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 | .10 00 15 00 8 00 10 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 | 8 00 15 00 8 00 10 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 | 8 00 15 00 8 00 10 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–6 PHILADELPHUS—Avalanche, 2–3 ft 19–6 — Coronarius, Mock Orange, Syringa, 2–3 ft 19–6 4–5 ft 19–6 — Nana, Aurea, 1/2–18 in., bushy 19–6 Golden Lf. Syringa, 2–2½ ft., 19–6 — Grandiflora, Large Flowering, 2–3 ft 19–6 PRINOS—(See Ilex). PRUNUS—Maritima, 18–24 in. 19–6 3–4 ft. 19–6 3–4 ft. 19–6 Peissardi, 2–3 ft. 19–6 Peissardi, 2–3 ft. 19–6 3–4 ft. 19–6 Peissardi, 2–3 ft. 19–6 Peissardi, 2–3 ft. 19–6 Peissardi, 2–3 ft. 19–6 3–4 ft. 19–6 | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in., bushy | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 | 8 00 15 00 8 00 10 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–24 in. 19– | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–24 in. 19– | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–6 PHILADELPHUS—Avalanche, 2–3 ft 19–6 — Coronarius, Mock Orange, Syringa, 2–3 ft 19–6 4–5 ft 19–6 — Nana, Aurea, 1½–2 ft., 19–6 — Grandiflora, Large Flowering, 2–3 ft 19–6 PRINOS—(See Ilex). PRUNUS—Maritima, 18–24 in. 19–6 3–4 ft 19–6 3–4 ft 19–6 4–6 ft. 19–6 — Triloba, Double Flg. Plum, 2–3 ft 19–6 PYRUS—Japonica, (See Cydonia). | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–6 PHILADELPHUS—Avalanche, 2–3 ft 19–6 — Coronarius, Mock Orange, Syringa, 2–3 ft 19–6 4–5 ft 19–6 4–5 ft 19–6 4–5 ft 19–6 1½–2 ft., 19–6 2–2½ ft., 19–6 — Grandiflora, Large Flowering, 2–3 ft 19–6 PRINOS—(See Ilex). PRUNUS—Maritima, 18–24 in. 19–6 3–4 ft 19–6 4–6 ft 19–6 — Triloba, Double Flg. Plum, 2–3 ft 19–6 PYRUS—Japonica, (See Cydonia). — Arbutifolia, (See Aronia). | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling 25 tarl 35 tarl 35 tarl 15 tarl 15 tarl 10 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 15 tarl 12 tarl 15 tarl 15 tarl 12 tarl 15 tarl | 90 1 10 1 80 1 20 1 50 90 1 20 1 80 1 30 1 70 2 20 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 1 70 2 20 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 1 20 1 80 1 70 2 20 1 50 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 19–24 in. 19–25 in. 19–26 in. 19– | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 1 70 2 20 1 50 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 20 1 50 1 20 1 80 1 30 1 70 2 20 1 50 1 80 1 50 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 00 1 20 1 50 90 1 20 1 80 1 70 2 20 1 80 1 80 1 00 1 50 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 20 1 50 1 20 1 80 1 30 1 70 2 20 1 50 1 80 1 50 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling | 90 1 10 1 80 1 20 1 50 1 20 1 80 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 50 1 20 1 50 1 80 | 8 00 10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. Per 18–26 in. Per 18–26 in. Per 18–26 in. Per 18–27 in. | taling 25 tarl 35 tarl 35 tarl 35 tarl 15 tarl 15 tark 10 tark | 90 1 10 1 80 1 00 1 20 1 50 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 80 1 50 1 50 1 50 1 1 50 1 1 50 1 1 50 1 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 18–24 in. 19–4 in. 18–24 in. 19–4 in. | taling 25 tarl 35 tarl 35 tarl 15 tark 10 tark | 90 1 10 1 80 1 20 1 50 1 20 1 80 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 50 1 20 1 50 1 80 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling 25 tarl 35 tarl 35 tarl 35 tarl 15 tarl 15 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 15 tarl 12 tarl 15 tarl 16 tarl 17 tarl 17 tarl 18 tarl | 90 1 10 1 80 1 00 1 20 1 50 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 80 1 50 1 50 1 50 1 1 50 1 1 50 1 1 50 1 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. Per 18–24 in. Per 18–25 in. Per 18–26 in. | taling 25 tarl 35 tarl 35 tarl 35 tarl 15 tarl 15 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 15 tarl 12 tarl 15 tarl 16 tarl 17 tarl 17 tarl 18 tarl | 90 1 10 1 80 1 00 1 20 1 50 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 80 1 50 1 50 1 50 1 1 50 1 1 50 1 1 50 1 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |
| OXYDENDRON—(See Andromeda). PAVIA—Macrostachia, Dwf. Horsech. 12–18 in. 18–24 in. 18–24 in. 19–4 in. 18–24 in. 19–4 in. | taling 25 tarl 35 tarl 35 tarl 35 tarl 15 tarl 15 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 12 tarl 15 tarl 12 tarl 15 tarl 16 tarl 17 tarl 17 tarl 18 tarl | 90 1 10 1 80 1 00 1 20 1 50 1 20 1 80 1 70 2 20 1 50 1 80 1 50 1 80 1 50 1 50 1 50 1 1 50 1 1 50 1 1 50 1 1 50 | .10 00 15 00 8 00 10 00 15 00 12 00 15 00 18 00 |

| DIVINO COLLINIA | T-1 C : | D t | D 10 | D 100 |
|--|------------------|---|-----------------------------|-------------------------------|
| RHUS—Continued — Cotinus, Purp. Fringe Mist, 2–3 ft | Tel. Code | Each | Per 10 | Per 100 |
| 3–4 ft | | \$ 15 20 | \$1 20 1 50 | \$8 00 10 00 |
| 4–5 ft | | $\frac{20}{25}$ | $\frac{1}{2} \frac{30}{00}$ | 15 00 |
| — Copallina, 2–3 ft | | 18 | 1 50 | 10 00 |
| 3–4 ft | Peevishly | 25 | 2 00 | |
| — Glabra, 3–4 ft | Pegger | 15 | 1 20 | |
| 4–5 ft | | 20 | 1 80 | $15 \ 00$ |
| — — Laciniata, Cut Lf. Sumach, 12–18 in | Pegging | 12 | | |
| — Typhina, 2–3 ft | Pegged | $\frac{18}{15}$ | 1 20 | |
| 4–5 ft | Pell | $\frac{10}{20}$ | 1 50 | |
| 5–7 ft | | $\frac{25}{25}$ | $\frac{1}{2} \frac{00}{00}$ | |
| — — Laciniata, Cut Lf. Sumach, 2-3 ft | Pellet | 15 | 1 30 | |
| 3–4 ft | Pellucid | 20 | 1 80 | |
| 4–5 ft | Pelter | 25 | 2 00 | |
| RIBES—Aureum, Yel. Fl. Currant, 2-3 ft | Pelt | 15 | 1 30 | 12 00 |
| — Sanguineum, 1½–2 ft | Pelted | 20 | 1 80 | 15 00 |
| ROBINA—Hispida, Rose Acacia, 2–3 ft. | Pen | $\frac{15}{20}$ | 1 20 1 80 | |
| 3–4 ft. | Penal | $\frac{20}{25}$ | 1 00 | |
| 3–4 ft | Penalty | $\frac{25}{35}$ | | |
| ROSA—Climbing and Trailing | | | | |
| — Blandida, 18 in | | 12 | 1 00 | |
| — Carolina, 18–24 in | | 12 | 1 00 | |
| 2–3 ft | | 15 | 1 20 | 0.00 |
| — Dorothy Perkins, 2–3 ft | | 10 | 90 | 8 00 |
| 3–4 ft | | 12 15 | 1 10 | $\frac{10}{12} \frac{00}{00}$ |
| — Dr. Van Flect, 2 vr | | $\frac{15}{25}$ | 1 50 | 12 0 |
| — Lucida, 18–24 in. | | 15 | | |
| — Multiflora Japonica, 2–3 ft | Pending | 12 | 1 10 | 10 00 |
| 3–4 ft | | 15 | | |
| 4–5 ft | Penetrating | 18 | | |
| — — Thunbergi, 2–3 ft | | 12 | 1 10 | 10 00 |
| 3-4 ft | | 15 | 1 30 | 12 00 |
| — Nitida, 18–24 in | | 12 | 1 10 | 10 00 |
| 2–3 ft | | $\begin{array}{c} 15 \\ 12 \end{array}$ | 1 20 1 10 | 10 00 |
| - Rubiginosa, Sweet Briar, 2–3 ft., businy | Penitence | 15 | 1 30 | 12 0 |
| 3–4 ft., " | Penitent | 12 | 1 10 | 10 0 |
| 2-2½ ft | Penitential | $\overline{15}$ | 1 30 | 12 0 |
| 3–4 ft | Pennate | 18 | 1 50 | |
| — Rambler Crimson, $\begin{pmatrix} 2-3 & \text{ft., strong.} \\ 2-4 & \text{ft.} \end{pmatrix}$ | \dots Pennated | 15 | 1 30 | 10 00 |
| - Rambler Crimson, - Philadelphia, 3-4 ft., 4-5 ft., | Penny | 18 | 1 50 | 12 0 |
| —————————————————————————————————————— | Pension | 20 | 1 80 | |
| $ -$ Yellow, $\begin{cases} 1 \frac{1}{2} - 2 & \text{it} \\ 2 & -3 & \text{ft} \end{cases}$ | Pensioned | $\begin{array}{c} 10 \\ 12 \end{array}$ | 1 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Pensive | 15 | 1 20 | 10 0 |
| _ (2=3 ft | Pensively | 12 | 1 00 | 10 0 |
| — Setigera, 3–4 ft | Pent | 15 | 1 20 | |
| — Silver Moon, 2 yr | | 25 | | |
| Chimagaigainna 9 9 ft | Dontoccate1 | 20 | | |
| — Spinossissina 2–3 ft — Wichuraiana,' { 2–3 ft | Peopled | 12 | 1 00 | 8.0 |
| 10 3 10 | cppcr | 15 | 1 20 | 10 0 |
| RUGOSA —Rcd, $1\frac{1}{2}$ -2 ft., bushy | | 10 | 90 | 8 0 |
| | Percent | $\begin{array}{c} 12 \\ 15 \end{array}$ | 1 10 1 30 | $10^{\circ}0$ $12^{\circ}0$ |
| $-$ White, $1\frac{1}{2}$ -2 ft., bushy | Perched | 15 | 1 20 | $\frac{12}{10} \frac{0}{0}$ |
| $$ white, $1\frac{1}{2}$ = 2 ft., bushy | | 18 | 1 50 | 12 0 |
| 2½-3 ft., " | | 20 | 1 80 | 0 |
| — — Dbl. Flg. White, 2–2½ ft | | 18 | 1 50 | |
| — HYBRIDS, MOSSES, ETC.— | | | | |
| — — CLASS 1 | Perfcct | 15 | 1 30 | $12\ 00$ |
| Strong Dormant Buds in the following vari | | | | |

Strong Dormant Buds in the following varieties: Alfred Colomb, Anna Diesbach, Bonstettin, B. Rothschild Coq. d'Alps, Clio, D. of Edinburgh, Fisher Holmes, Gen. Jack, Gen. Washington, Jno. Hopper, Louis Van Houtte, Mabel Morrison, Mad. G. Luizette, Mad. Plantier, M. P. Wilder, Marg. Dickson, Mrs. J. Laing, Magna Charta, Paul Neyron, Perle Blanche, Prince C. de Rohan, U. Brunner, Moss. Red, White, Pink and Crested.

Tel. Code Each Per 10 Per 100 HYBRIDS, Etc.—Continued CLASS 2—Strong Dormant Buds in the following varietiesPerfection \$ 20 \$1 80 \$15 00 C. Soupert, Carolina Testout, Etiole de France, Frau Carl Druschki, Gruss an Teplitz, Glorie de Dijon, Dinsmore, Glorie de Lyonaise, Hugh Dickson, Jean Liabaud, J. B. Clark, Killarney, Kaiserin, LaFrance, Maman Cochet, Mrs. R. S. Crawford, Soleil d'Or, Persian Yellow. \$ 25 \$2 00 \$15 00 35 field grown Johckneer Mock, A. R. Goodwin, Duchess of Wellington, Lady Hillingdon, Aviator Bleriot, Lyon Rose, Orleans.) Perforating Red— BABY RAMBLER--Pink 15 \$1 30 \$12 00 White J Performance TREE ROSES—good assortment Performing 35 3 00 25 0030 2 50 12 1 00 12 80 15 1 00 10 12 10 00 3 -4 ft......Perish 18 1 50 4 -5 ft.....Perishable 20

 — Racemosus, 2–3 ft
 Perjured

 SPIRAEA—A. Waterer, 15–18 in., bushy
 Perjure

 18–24 in.,
 Perjury

 2–2½ ft.,
 Permit

 — Arguta, 1½–2 ft., bushy
 Permitting

 12 80 10 15 1 20 18 1 60 10 - Arguta, $1\frac{1}{2}$ -2 ft., bushy Permitting $2-2\frac{1}{2}$ ft., Permission - Atchinsoni, 2-3 ft. Perplex ... 3-4 ft. Perplexed - Billardii, 2-3 ft. Perplexing ... 3-4 ft. Perplexing ... 3-4 ft. Pert ... Pert ... Pert ... Pert ... Pert ... Pervade ... Pervade ... Pervade ... Pervade ... Pervading $2-2\frac{1}{2}$ ft., Pervading ... Pervert ... Pervert ... Pervert ... Pervert ... Perverted ... Perverted ... Perverted ... Pest ... Pest 80 12 1 00 252 00 15 00 35 3 00 80 10 6 00 12 1 00 8 00 10 80 12 12 1 00 15 15 15 1 20 10 90 12 1 10 10 00 18 1 50 10 80 7.0012 1 00 9 00 15 1 20 12 1 10 10 00 3–4 ft Pick 15 1 30 12 00 4–5 ft Picking

Rotundifolia, 2–3 ft Picked

3–4 ft., extra Picket 1 50 20 80 10 13 15 1 30 12 00 18 12 1 10 3–4 ft......Picture ... $\bar{15}$ 1 30 - Thunbergi, 15–18 in., bushy Pie

18–24 in., Piece

2–2½ ft., Pier

- Tomentosa, 2–3 ft Pierce 90 10 8 00 12 1 10 10 00 18 1 50 12 00 80 6 00 10 3-4 ft . Piety

- Van Houtti, 2-2½ ft. Pile
2½-3 ft. Pilfer 1 10 128 00 10 90 8 00 12 1 10 10 00 3–4 ft. Pilgrim ... 15 1 30 12 0020 18 1 50 12 00 20 1 80 2 00 $\bar{2}$ 003 00

| | Tel. Code | Each | Per 10 | Per 100 |
|---|--------------------|-----------------|--------------------------|-----------|
| STEPHANANDRA—Flexuosa, 2–3 ft., bushy | Pinched | \$ 12 | \$1 10 : | |
| 2 4 ft " | Dinob | 15 | 1 30 | 12 00 |
| 4 ft., XX | Pinching | 18 | 1 60 | 15 00 |
| STYRAX—Japonica, 18–24 in. | Pink | 12 | 1 00 | 9 00 |
| 2 ft | Pint | 18 | 1 50 | 10 00 |
| SYMPHORICARPOS—Racemosus. | | | | |
| — White Snowberry, $1\frac{1}{2}-2$ ft., bushy | Piously | 10 | 80. | |
| 2 -3 ft., " | Pipe | $\overline{12}$ | 1 10 | 10 00 |
| 3 -4 ft., " | Pipkin | $\overline{15}$ | $\tilde{1} \ \tilde{30}$ | 10 00 |
| 4 ft. | Piper | 18 | 1 50 | |
| — Vulgaris, Red Indian Currant, 1½-2 ft., bushy | Pirate | 08 | 70 | 5 00 |
| 2 -3 ft., " | Pitch | 10 | 90 | 8 00 |
| 3 -4 ft., " | . Pitching | 12 | 1 10 | 10 00 |
| 4 ft | Pitched | 18 | 1 50 | 10 00 |
| SYRINGA—Japonica, Japan Tree Lilac, 3-4 ft | Pitied | 15 | 1 25 | |
| 4–5 ft | | 18 | 1 70 | |
| 5–6 ft | | | | |
| | | 25 | $\frac{200}{100}$ | 0.00 |
| — Josikea, Violet, 2–3 ft | Diagid | 12 | 1 00 | 8 00 |
| 3–4 ft | Placid | 15 | 1 30 | 10 00 |
| 4–5 ft | | 18 | 1 50 | 12 00 |
| — Persica, 2–3 ft | | 15 | 1 20 | |
| 3–4 ft | Plain | 18 | 1 50 | |
| — White, 2–3 ft | | 15 | 1 20 | |
| 3-4 ft | | 18 | 1 05 | *0.00 |
| — Rothomagensis, Red Persian, 2–3 ft | | 15 | 1 25 | 12 00 |
| 3–4 ft | | 18 | 1 60 | |
| 4–5 ft | | 25 | $2\ 00$ | |
| — Saugeana, Red, 2–3 ft | Plantation | 15 | 1 30 | 12 00 |
| 3-4 ft | | 18 | 1 60 | 15 00 |
| 4–5 ft | | 20 | | |
| — Villosa, Pink, 2–3 ft | Plastered | 15 | 1 30 | $12 \ 00$ |
| 3–4 ft | Plastering | 18 | 1 60 | 15 00 |
| 4–5 ft | Plate | 20 | | |
| — Vulgaris, Common Purple Lilac, 2–3 ft | | 12 | 1 00 | 8 00 |
| 3-4 ft | | 15 | 1 30 | 12 00 |
| 4–5 ft | Playfully | 25 | 2 00 | 18 00 |
| — — Alba, Common White Lilac, 2–3 ft | Plead | 12 | 1 10 | 10 00 |
| 3-4 ft | Pleading | 20 | 1 80 | 15 00 |
| 4–5 ft | . Pleasant | 25 | 2 25 | 18 00 |
| *— Alfonse Layellee, 3–4 ft. | Please | 20 | | - |
| *— Chas. 10th, Reddish Purple, 2–3 ft | Pleasing | 15 | 1 25 | 12 00 |
| 3–4 ft | Pleasure | 20 | 1 80 | 15 00 |
| *— Marie LeGraye, Dwarf White, 1½-2 ft | Pledge | $\overline{12}$ | 1 00 | |
| 2–3 ft | Plod | 18 | 1 50 | |
| 3–4 ft | Plodding | $\tilde{20}$ | 1 80 | |
| *— Mad. Lemoine, 2–3 ft | Plot | 18 | 1 50 | |
| 3–4 ft | | $\hat{20}$ | 1 80 | |
| *— Pres. Grevy, 2–3 ft | | 18 | 1 50 | |
| 3-4 ft | Plumage | 20 | 1 80 | |
| *— Rubra de Marley, Light Blue, 2–3 ft | Dlumber | 15 | 1 20 | 9 00 |
| 3–4 ft | | 18 | 1 50 | 11 00 |
| 4–5 ft | Dlunder | 20 | 1 80 | 11 00 |
| * Constant Volland 9.9 ft | Diunge | 15 | 1 00 | |
| *— Senator Volland, 2–3 ft. | Doom | | 1 00 | |
| *— Souv. de Le Spæth, 18–24 in | | | | |
| 2–3 ft | | 18 | 1 50 | |
| 3–4 ft | Deaties! | 20 | 00 | 0.00 |
| TAMARIX—Africana, 2–3 ft | Poetical | 10 | 1 90 | 8 00 |
| 3–4 ft | | 15 | 1 20 | 10 00 |
| 4–5 ft | Pointless | 20 | 1 50 | |
| — Gallica, 3–4 ft | Poison | 12 | 1 50 | |
| — Hispida Astaevalis, 2 yr | Plodder | 18 | 1 50 | |
| — Indica, 3–4 ft | Poisoned | 15 | | |
| — Japonica, 3–4 ft | Poisonous | 20 | | |
| VIBURNUM—Acerifolia, 1 yr | Pole | 15 | | |
| — Cassinoides, 1½-2 ft | Police | 18 | | |
| 2-3 ft | Policy | 20 | | |
| | T) 1'.1 | 25 | $2\ 00$ | |
| 3–4 ft | Polisn | 20 | | |
| 3–4 ft | Polish Polished | $\frac{25}{35}$ | | |

| VIBURNUM—Continued | Tel. Code | Each | | Per 100 |
|--|--------------|----------------------|---|------------------------|
| 2–3 ft., bushy | Polite | \$ 15 | | \$10 00 |
| — Dentatum, 3-4 ft., " | Political | 18 | 1 50 | 12 50 |
| T U 10., | . I OIIUICO | 25 | $\frac{200}{100}$ | 10.00 |
| — Molle, 2–3 ft | . Porcn | $\frac{15}{20}$ | 1 20 | 10 00 |
| 3–4 ft | | $\frac{20}{25}$ | $\begin{array}{ccc} 1 & 80 \\ 2 & 00 \end{array}$ | 15 00 18 00 |
| 4–5 ft | | $\frac{25}{15}$ | 1 20 | 10 00 |
| 3-4 ft | Post | $\frac{10}{20}$ | 1 80 | 15 00 |
| 4–5 ft | | $\frac{20}{25}$ | $\frac{1}{2} \frac{30}{00}$ | 10 00 |
| — Lentago, 2–3 ft. | Pot | $\tilde{1}\tilde{5}$ | _ 00 | |
| 3–4 ft | . Potter | 25 | | |
| 4–5 ft. | | 30 | | |
| — Oxycocos, Highbush Cranby., 2-3 ft | . Potting | 12 | 1 00 | 8 00 |
| 3–4 ft., bushy | . Pouch | 15 | 1 20 | 10 00 |
| 4–5 ft., " | Poultice | 20 | 1 80 | |
| — Opulus, Aurea, 3–4 ft | . Poulticed | 15 | 1 20 | |
| 4–5 ft | . Poultry | 18 | | |
| — Sterilis, Common Snowball, 2-3 ft | . Pounce | 12 | 1 10 | |
| 3-4 ft | . Pouncing | 15 | 1 10 | |
| — Nana, Dwf. Snowball , 8–12 in., bushy | Pound | 12 | 1 10 | |
| 12–10 m., | . Pounded | 15 | 1 25 | |
| 18 in., " | | 20 | 1 80 | 15 00 |
| 3-4 ft | Pouring | $\frac{20}{25}$ | 1 80 | 15 00 |
| 4–5 ft | | $\frac{25}{30}$ | 2 50 | |
| — — Standard, in Tree Form | | 35 | $\frac{2}{3} \frac{30}{00}$ | |
| — Prunifolium, Black Haw, 2–3 ft | Poverty | $\frac{35}{25}$ | 3 00 | |
| — Rhytidophyllum, 2 yr., new evergreen sort | | 1 00 | | |
| —Sieboldi, 2–3 ft | | 25 | 2 25 | 20 00 |
| 3-4 ft | | 35 | 3 00 | -0 00 |
| 4–5 ft | | 45 | 4 00 | |
| —Tomentosum, 2-3 ft | | 15 | 1 30 | 12 00 |
| 3-4 ft | Practiced | 18 | 1 60 | 15 00 |
| 4-5 ft | Practacing | 25 | $2\ 25$ | 20 00 |
| VITEX—Agnus Castus, 2-3 ft | Praise | 12 | 1 10 | 10 00 |
| 3-4 ft | | 15 | 1 25 | |
| 4-5 ft | Praiseful | 18 | | |
| WEIGELA—Abel Carriere, 2–3 ft | | 15 | 1 20 | |
| — Amabisis, 2–3 ft | Prayed | 13 | 1 20 | |
| 3-4 ft | Prayers | 15 | 1 20 | |
| — Candida, white, 2–3 ft | Pray | $\frac{12}{20}$ | 1 10 1 60 | 14.00 |
| 4–5 ft. | | $\frac{20}{25}$ | $\frac{1}{2} \frac{00}{00}$ | 14 00 15 00 |
| — Eva Rathke, 1½–2 ft | | $\frac{23}{12}$ | 2 00 | 10 00 |
| 2 -3 ft | Precede | 15 | 1 30 | 12 00 |
| 3 -4 ft | | 20 | 1 50 | 14 00 |
| — Floribunda, 2–3 ft | | $\overline{12}$ | - 30 | |
| 3–4 ft | . Prefer | 15 | | |
| — Lavelli, 2–3 ft | Prepare | 12 | 1 00 | |
| 3–4 ft | . Presenting | 18 | 1 50 | $12 \ 00$ |
| — Lutea, (Diervilla Sessifolia) 2–3 ft | | 12 | 1 00 | |
| 3–4 ft | . Preserve | 18 | 1 50 | $12 \ 50$ |
| 4–5 ft | . Preserved | 25 | 2 00 | *0.00 |
| — Nana Variegata, 2–3 ft | Preside | 18 | 1 50 | 12 00 |
| 3–4 ft | Press | 22 | 2 00 | 15 00 |
| 4-5 ft | Pressure | 25 | 2 25 | 20 00 |
| $-$ Rosea, $2-\frac{7}{2}$ It | Pretend | 12 15 | $\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$ | $\frac{8\ 00}{10\ 00}$ |
| 3 -4 ft | Prevail | 18 | 1 50 | 12 00 |
| 4 –5 ft | Prevailed | 20 | 1 80 | 12 (10) |
| — Steltzeneri, 2–3 ft. | Printed | 15 | 1 20 | |
| XANTHOCERAS—Sorbifolia, 1½-2 ft. | Pride | 35 | . 20 | |
| 2 -3 ft | Priest | 50 | | |
| XANTHORHIZA—Apiifolia, 12–15 in. | .Print | 15 | 1 20 | |
| 15–18 in | . Printer | 18 | 1 50 | |
| 2 ft | .Printing | 20 | 1 80 | |
| | | | | |

| CLIMBING VINES | | | |
|--|-----------------|---|-------------------------|
| Tel. Code | Each | Per 10 | Per 100 |
| ACTINIDIA—Arguta, 2 yr | \$ 18 | \$1 50 | #0.00 |
| AKEBIA—Quinata, 2 yr., 1st class | $\frac{12}{12}$ | $\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$ | \$8 00 |
| — Heterophylla (Vitis), 1st class | 10 | 80 | 8 00 |
| — Quinquefolia, Virg. Creeper, 2 yr., 1st class Identity | 10 | 90 | 6 00 |
| $3 \text{ vr., extra} \dots Idiot \dots$ | 12 | 1 00 | 8 00 |
| — Veitchi, Japan Ivy, 1 yr. in pots | 08 | 60 | 5 00 |
| 2 vr. pots Idea | 12 | 1 00 | 7 00 |
| — Field Grown, 2 yr., medium | 09 | 70 | 5 00 |
| — " 2 yr., first-class | 10 | 80 | 7 00 |
| ARISTOLOCHIA—Sipho, Dutchman's Pipe, 2–3 ft Idle | 12 | 1 10 | 10 00 |
| 3-4 ft Idleness | $\frac{30}{35}$ | $\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$ | $\frac{20\ 00}{25\ 00}$ |
| BIGNONIA—Grand, Chinese Trumpet Vine, 2-3 ft Ignite | 15 | 1 30 | 25 00 |
| — Radicans, Common Trumpet Vine, 2–3 ft | 12 | 1 00 | 6 00 |
| CELASTRUS—Scandens, Jap. Staff Vine, 2 yr | 15 | 1 00 | 0 00 |
| CLEMATIS—Large Flowering, imported Illness | 25 | | |
| — Paniculata, 1 yr., in pots | 06 | | |
| 2 vr., medium Imp | 08 | 70 | 5 00 |
| 2 yr., field grown, extra Image 3 yr Imagine | 10 | 80 | 7 00 |
| 3 yr., " " | 12 | 1 00 | 9 00 |
| EUONYMUS—(See Evergreens). | | | |
| HEDERA—Helix, English Ivy, 1 yr. in potsImmense | 08 | 70 | 6 00 |
| 4 and 5 in. potsImplore | 12 | 1 00 | 9 00 |
| JASMINUM—(Sec Shrubs). | 1 | 1.0" | |
| KUDZU VINE, 2 yrImplores | 15 | 1 25 | |
| - Brachypoda, Evergreen Honeysuckle, 2 yr Import | 10 | | |
| — Aurea, Golden Honeysuckle, 2 yr | 10 | 80 | 7 00 |
| — Belgica, 2 yr | 12 | 1 00 | . 00 |
| — Halleana, Hall's Ian, Honeysuckle 2 yr Impress | . 10 | 80 | 7 00 |
| — Heckrotti, 2 yr | 10 | 90 | 8 00 |
| - Heckrotti, 2 yr Impulsive - Punicea, Trumpet Honeysuckle, 2 yr In | 10 | | |
| — Sempervirens, 2 yr | 10 | | |
| LYCIUM—Barbarum, Matrimony Vine, 2-3 ftIncensed | 10 | 90 | |
| 3–4 ft Incentive | 12 | 1 10 | |
| - Sinensis, \\ \frac{2-3ft}{2} \tag{4.5} | 10 | 90 | |
| (3-11 | 12 | 1 00 | |
| WISTARIA—Frutescens, 2–3 ft Incline | 15 | 1 30 | |
| 3-4 ft Inclined | 20 | 1 75 | 10.00 |
| — Multijuga, 2–3 ft | $\frac{15}{20}$ | $\begin{array}{c} 1 & 30 \\ 1 & 75 \end{array}$ | 12 00 15 00 |
| (9-3 ft Indicated | $\frac{20}{15}$ | 1 30 | 10 00 |
| Index | 20 | 1 75 | |
| — — Alba, Chinese White, 2–3 ft | 20 | 1 75 | 15 00 |
| 3–4 ftInduced | $\overline{30}$ | 2 50 | |
| - Standards Inducement | | 1 50 | |

EVERGREENS

These have all been transplanted, most of them several times, giving ample room for full development and frequently sheared to produce compact, symmetrical specimens. Those marked with a ** will be dug at the prices named, with the soil adherent to the roots and securely tied in burlap. We will dig in like manner the others at an additional charge of 6c each for $1\frac{1}{2}$ to 2 ft., 8c for 2 to 3 ft., 10c for 3 to 4 ft., 15c for 4 to 5 ft., and 20c for 5 to 6 ft., unless requested not to do so.

| | Tel. Code | Each | Per 10 | Per 100 |
|--|---------------|--------|--------|---------|
| ABIES—Arizonica, 18 in.** | .Sabbath | \$1 60 | | |
| — Balsamca, Balsam Fir, 3–4 ft.** | | | | |
| — Cilicica, 10–12 in | | | | |
| — Concolor, Col. Silver Fir, 1½–2 ft | .Sabot | 75 | \$6 50 | |
| 2–3 ft.** | | | | |
| 3–4 ft.** | | | | |
| — Fraserii, Fraser's Balsam Fir, 2-21/2 ft | .Sacrifice | 45 | 4 00 | |
| $2\frac{1}{2}$ -3 ft | | 65 | 600 | |
| 3–4 ft** | . Sacrificing | 75 | 7 00 | |

| ABIES—Continued | Tel. Code | Each | Per 10 Per 100 |
|---|-----------------------|---|--|
| - Nordmanniana Nordman Fir. 2-21/2 ft.* | .Sadden | \$ 85 | \$7 50 |
| 2½-3 ft.** | . Sadder Saddle | $\frac{1}{1} \frac{15}{75}$ | 10 00 15 00 |
| 3-4 ft.** 4-5 ft** | .Sadly | 2 00 | 1.7 00 |
| — Pinsapo 21/2-3 ft.** | .Safe | 1 50 | |
| — Subalpina, 3-4 ft.** — Veitchii, 2-2½ ft | . Sareness | $\frac{1}{75}$ | 7 00 |
| 2½-3 ft.** | .Sage | 1 15 | 10 .00 |
| 3–4 ft.** | | $\frac{1}{2} \frac{50}{00}$ | 12 50 |
| 4–5 ft.** — Picea Alba, White Spruce, 1½–2 ft | .Said | 30 | 2.75 |
| $2-2\frac{1}{2}$ ft | .Sail | 40 | 3 75 \$35 00 |
| 2½-3 ft | | 50 70 | $\begin{array}{ccc} 4 & 50 \\ 6 & 50 \end{array}$ |
| 4–5 ft.** | . Sailor | 1 00 | 9 00 |
| — Alcockiana, 18–24 in | . Saintless | - 50 | 4.50 |
| — Douglasii (Pseudotsuga), 2-2½ ft | Salad | 50 80 | $\frac{4}{7} \frac{50}{50}$ |
| 3–4 ft.** | . Salaried | 1 10 | 10 00 |
| 4–5 ft.** | .Sale | 1 25 | 5 00 40 00 |
| — Engelmanni, 12–18 in | | 60 80 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| - Excelsa, Norway Spruce, 12-16 in | . Salt | 18 | 1 50 |
| 1½-2 ft | | 25 | $\frac{2}{2} \frac{00}{75}$ |
| 2-2½ ft | | 30 35 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 3–4 ft.** | . Sank * | 50 | 4 50 40 00 |
| 4–5 ft.** | .Sap | $\frac{1}{1} \frac{00}{35}$ | 8 50 75 00 12 50 100 00 |
| — — Aurea Golden Spruce, 18-24 in | Sarcasm | 50 | 12 50 100 00 |
| — — Conica, 12–18 in | .Sat | 75 | 7 00 |
| — — Gregoriana Dwart, 18 in | .Satin | 1 50 50 | |
| — — Conica, 12–18 in. — — Gregoriana Dwarf, 18 in. — — Inverta, Weeping Spruce, 18–24 in.**. 2–3 ft.** | Satisfaction | 75 | |
| 3-4 ft.** | . Satistactory | 1 00 | |
| —————————————————————————————————————— | Satisfied | 1 50 | |
| — — Pygmea, Dwarf, 8–12 in | . Satisfying | 50 | |
| —— Pyramidal, 8–12 in | .Saturate | 50 | e =0 |
| — Procumbens, Dwarf, 12–18 in | . Saturating | $\frac{70}{1.25}$ | $\begin{array}{ccc} 6 & 50 \\ 10 & 00 \end{array}$ |
| — Nigra Doumetti 18–24 in | Sauce | 75 | |
| — Orientalis, 18–24 in., bushy | .Saucer | 40 70 | $\begin{array}{ccc} 3 & 75 \\ 6 & 50 \end{array}$ |
| 3–4 ft., " ** | .Sauchy | 1 50 | 0 50 |
| 4–5 ft., " ** | .Saunter | 2 00 | |
| 5–6 ft., "** — Polita, 12–18 in | . Sauntered Savage | $\begin{array}{c} 2 \ 50 \\ 50 \end{array}$ | |
| 18-24 in.** | . Savagely | 75 | 6 50 |
| 3 ft.** — Pungens Glauca, Colorado Blue Spruce, 18-24 in | .Save | 1 50 | 1.50 |
| — Pungens Glauca, Colorado Blue Spruce, 18–24 in | . Saved | $\frac{50}{75}$ | 4 50 |
| 3-4 ft.** | .Saving .Saw | $^{\circ}2.00$ | |
| — Koster's Blue Grafted, 1½ ft | Sawed | $\begin{array}{c} 3 & 00 \\ 1 & 25 \end{array}$ | 12 00 100 00 |
| 2 ft ** | Scalded | $\frac{1}{2} \frac{20}{00}$ | 17 50 170 00 |
| 2½ ft.**. 3 ft.**. | Scalding | 3 00 | 27 50 250 00 |
| 3 It.** | Scale | $\begin{array}{ccc} 3 & 75 \\ 5 & 00 \end{array}$ | 35 00 325 00 45 00 |
| — Sytchensis, 3–4 ft.** | Scalp | $\frac{7}{1}$ $\frac{75}{75}$ | 15 00 |
| — Umbilicata, 2–2½ ft., extra hardy | Scamp | 80 | 7 50 |
| 3-4 ft.** | . Scanned | $\frac{1}{25}$ | 2 25 |
| 15–18 in ** | Scandel | 45 | 4 00 35 00 |
| — Floribunda, 8–12 in. ** 12–18 in. ** bushy | Scant | 75 85 | 7 00 65 00 8 00 75 00 |
| 18–24 in. ** bushy | .Scantv | $\frac{85}{100}$ | 9 50 90 00 |
| — Japonica, Jap. Lily of Valley Tree, 8–12 in. | Scar | 35 | 3 00 25 00 |
| 12–15 in.** | Scare | 60 | 5 00 45 00 |

| 4741D4 1 0 10 in | Tel. Code | Each | | Per 100 |
|---|--------------|---|-----------------------------|--------------------|
| AZALEA—Amoena 8-10 in | . Scarlet | \$ 30 ; | | #97 AA |
| — — Hinodigiri, 8–12 in | Scenery | 40 40 | 3 50 | \$35 00 |
| 10–12 in.** | Scent | 55 | 5 00 | 30 00 |
| 12-18 in.** | | 75 | 7 00 | 65 00 |
| — Indica Alba, 18–24 in.** | .Scheme | 65 | 6 00 | 0.5 00 |
| — Kæmpteri (new), 8–12 in | .Schemer | 80 | 7 50 | 60 00 |
| — Yodogama, 12–18 in | . Scheming | 70 | 6.50 | 60 00 |
| BERBERIS—Ilicifolia, Holly Leaved, 18 in | .Scholar | 20 | | |
| 2 ft | . Scholarly | 25 | | |
| BIOTA—Oriental Arbor Vitae, 1½-2 ft | Science | 40 | | |
| 2 -3 ft | Scientille | $\begin{array}{c} 50 \\ 1 \ 50 \end{array}$ | | |
| — — Aurea Conspicua, 3–4 ft. — — — Pyramidalis, 3–4 ft.** | | $\frac{1}{1} \frac{50}{50}$ | | |
| — Compacta, Chinese Compact, 18–24 in | .Scoff | 45 | 4 00 | |
| 2-2 ½ ft.** | Scoffed | 65 | $6\ 00$ | |
| 2½-3 ft.** | .Scoffing | 75 | 7 00 | |
| — — Elegantissima Rollinson's Golden, 1½-2 ft | Scold | 45 | 4 00 | 35 00 |
| 2-2½ ft.** | .Scolding | 70 | | |
| $2\frac{1}{2}$ -3 ft.** | .Scolder | 1 00 | | |
| $\begin{cases} 8-12 \text{ in.} \dots \\ 12 15 \text{ in.**} \end{cases}$ | .Scoop | 30 | | |
| — — Nana Aurea, (Berkman), { 12–15 in** | Secoped | 45 55 | | |
| —————————————————————————————————————— | | 55 50 | 4 50 | |
| — Japonica erecta, 18–24 in | | 35 | 4 90 | |
| — Filiformis,, 12–18 in | | 40 | | |
| — Rosedale Hybrid, 12–15 in | Scored | $\tilde{35}$ | 3 00 | 25 00 |
| 18-24 in.** | .Scorningly | 50 | 4 50 | |
| (10–12 in.** | .Scornful | 30 | 2 50 | 20 00 |
| | . Scornfully | 35 | 3 25 | 30 00 |
| 5 10-24 III. | Scour | 55 | 5 00 | 45 00 |
| $2-2\frac{1}{2}$ It | Scoured | 80 | 7 50 | 70 00 |
| 2½ ft.** | | 1 50 | 13 50 | 125 00 |
| —— Pyramids, 2½ ft., sheared** | Scrap | $\begin{array}{ccc} 1 & 25 \\ 1 & 70 \end{array}$ | 16.00 | 150.00 |
| 3 ft., " ** | Soraped | 2 30 | | $150 00 \\ 175 00$ |
| 4 ft., sheared ** | Scraping | 3 00 | | 225 00 |
| 5 ft., " ** | Scratch | 3 75 | 35 00 | 22., 00 |
| — — Globosa, Ball Box, 12–15 in.** | Scrawl | 1 15 | | |
| — — Stands, 12 in., sheared heads** | | 1 50 | | |
| 15 in., " ** | | 1 75 | 16 50 | |
| 18 in., " ** | | 2 25 | 20 00 | 4.70 |
| (3-4 in. \$35 00 per 1000. | | 05 | 48 | |
| — Suffruticosa Dwf. Edg. 4-5 in. \$45 00 per 1000 5-6 in | Sealed | 06 07 | 55 65 | |
| CALLUNA—Vulgaris, 4–6 in 2 yr | | 15 | 1 20 | |
| ", [1½-2 ft | Seaming | 65 | 1 20 | |
| 12 –3 ft | Seamed | 85 | | |
| CEDRUS—Atlantica Glauca, {3-4 ft.** | Seamless | 1 25 | | |
| (4-5 ft.** | | $2\ 00$ | | |
| — Deodora, 18–24 in** | | 40 | | |
| 2–3 ft** | Searching | 60 | | |
| COTONEASTER—Aplanata (new) | | 1 00 | | |
| — Horizontalis, Davidiana, 12–18 in | | 50 | | |
| 18–24 in | Seasoning | 20 | 1 80 | |
| 18-24 in | | 30 | $\frac{1}{2} \frac{50}{50}$ | |
| CRATAEGUS—Pyracantha, (18-24 in | . Seat | 30 | _ 00 | |
| Lalandi. 1 2-3 ft | Seated | 40 | | |
| CRYPTOMERA—Lobbi, Compacta, 2–3 ft** | Seclude | 80 | | |
| 3–4 ft** | Secluding | 1 65 | 15 00 | $125 \ 00$ |
| CUPRESSUS—Lawsoniana, 18–24 in | Secluded | 25 | | |
| DAPHNE—Cneorum, 8–10 in | Second | 25 | 0 #0 | |
| 10-12 in | Secondary | 40 | 3 50 | 7.00 |
| EUONYMUS—Japonicus, 12–18 in., bushy | Socretary | 10 | 80 | 7 00 |
| 10 21 111., | Secrecy | 15 08 | 70 | 6 00 |
| Radicans, \ \begin{pmatrix} 8-12 in., bushy 2 yr | Sectarian | 10 | 90 | 8 00 |
| 18-24 in., " 3 yr | . Section | 15 | 1 20 | 10 00 |
| (20 = 2, 0)1 | | | | |

| TRADE DIST | | | | |
|--|-----------------|---|---|-------------------------------|
| EUONYMUS—Continued | Tel. Code | Each | Per 10 | Per 100 |
| (8-12 in., bushy 2 yr. — Variegata, {12-15 in., " 2 yr. (18-24 in., " 3 yr. — Carrieri, 12-18 in. | .Secure | \$ 08 | \$70 | \$5 00 |
| — — Variegata, ₹ 12–15 in., " 2 yr | . Securely | 10 | 80 | 6 00 |
| (18–24 in., " 3 yr | Security | 12 | 1 70 | 10 (11) |
| — Carrieri, 12–18 in | Sediment | $\begin{array}{c} 18 \\ 12 \end{array}$ | $\frac{1}{1} \frac{50}{10}$ | 12 00 |
| ILEX—Crenata, Japan Holly, 15–18 in. | Seduced | $\frac{12}{35}$ | 3 00 | 10 (4) |
| 18-24 in | Seducer | 75 | 7 00 | |
| 2-2½ ft | .Seducing | 1 00 | | |
| — — Macrophylla, 12–15 in. — Opaca, American Holly , 2–3 ft** | . Seductive | 45 | | |
| — Opaca, American Holly, 2–3 ft** | .See | 85 | 7 50 | |
| 3–4 ft** | .Seed | 1 25 | | |
| JUNIPERUS—Canadensis, 12–18 in | Seedy | 30 | | |
| 18-24 in** | Seeing | 50 | 0.50 | |
| — Communis, 15–18 in. across | Seem | 40 | 3 50 | |
| - Communis Aurea, (Douglas Golden), $\begin{cases} 12-18 \text{ in. across } \\ 18-24 \text{ in.} \end{cases}$ ** $2\frac{1}{2}-3 \text{ ft.} $ ** | Seemingly | 35 50 | | |
| (Douglas Golden), {18–24 in. " ** | Seemly | 1 00 | | |
| — — Glauca, 6–12 in. across | Select | 25 | | |
| — — Prostrata, 12–18 in. | Selecting | 25 | | |
| 18–24 in | | 45 | 4 00 | 35(0) |
| — — Cracovica, 8–12 in | Self | 20 | | |
| — — Hibernica, Irish Juniper, 12–18 in | | 12 | 1 00 | 9 00 |
| 18–24 in | | 18 | 1 50 | 12 00 |
| 2–3 ft | Seller | 40 | 3 50 | |
| — — Suecica, Swedish Juniper, 12–15 in | | $\frac{50}{20}$ | 1 80 | |
| 2½ ft | | 30 | $\frac{1}{2} \frac{50}{50}$ | |
| — Excelsa Stricta, 6– 8 in., bushy | | 12 | 1 00 | 9 00 |
| 8–12 in., " | Sent | 25 | 2 00 | 15 00 |
| | | 50 | 4.50 | 40 00 |
| 2-2½ ft** | Sentiment | 1 00 | 9 00 | 20.0 |
| — Japonica, Japan Juniper, 15–18 in., bushy | . Sentimental | 25 | 2 20 | 20 00 |
| 18–24 in., " | Sentry | 40 | 3 50 | 30 00 |
| 2-2½ ft** 2½-3 ft** | Separable | 50 60 | $\begin{array}{c} 4 & 50 \\ 5 & 50 \end{array}$ | |
| — Japonica Aurea, Japan Golden Juniper, 15–18 in | Separably | 55 | $\frac{5}{5} \frac{50}{00}$ | 45 00 |
| 11/-2 ft** | Separated | 80 | 7 50 | 1.5 00 |
| — Variegata, Japan Var. Juniper, 10-15 in | Separating | 50 | | |
| — Repanda, 15–18 in | Separation | 35 | | |
| — Rigida, 3 ft | Sequel | 75 | | |
| — Sabina, 12–15 in | | 18 | $\frac{1}{2} \frac{50}{25}$ | $\frac{12}{20} \frac{00}{20}$ |
| 15–18 in | | 25 | 2 25 | 20 00 |
| 18–24 in | | 45 | $\frac{4}{5} \frac{00}{00}$ | |
| 2–2½ ft** | Serenely | 55 35 | 3 00 | |
| 18–24 in. | Serf | 45 | 4 00 | |
| — — Tamariscifolia, Prostrata, 12–15 in | Serials | 30 | 1 00 | |
| 15–18 in** | Series | 50 | | |
| — — Variegata, 8–12 in — Sinensis Aurea, 2–2½ ft** | Serial | 35 | | |
| — Sinensis Aurea, 2–2½ ft** | Serious | 75 | | |
| — Sinensis, Variegated, Chinese Juniper, 12–18 in | Seriously | 45 | 4 00 | |
| | Serpent | 65 | | |
| | Servant | 2 25 45 | 3 50 | |
| — — Neoboriense, 18–24 in — — Pfitzeriana, 12–15 in | Serve | 50 | 5 50 | |
| 18–24 in | | 75 | 7 00 | 65 00 |
| 2–3 ft** | | 1 00 | 9 00 | 00 00 |
| 3–4 ft** | | $\frac{1}{2}$ 50 | | |
| — — Reveesiana, 12–18 in | | 35 | | |
| — Squammata, 18–24 in | Settling | 60 | | 0= 0= |
| — Waukegan, 12–15 in | Settler | 45 | 4 00 | 35 00 |
| — Virginiana, Red Cedar, 18–24 in | Several | 20 | 1 80 | 15 00 |
| 2–3 ft | | 60 | 5 00 | 45 00 |
| | Sewer | 1 50 | 8 50 12 50 | |
| | Sewing | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$ | $\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$ | |
| 3 16., | Severe Sever | $\frac{2}{2} \frac{50}{50}$ | 11 90 | |
| | Severed | 4 00 | | |
| 222.00 | | _ 00 | | |

| 1. CT. NORDINITI | | | | |
|--|--------------|-----------------------------|---|-------------------------------|
| JUNIPERUS—Continued | Tel. Code | Each | Per 10 | Per 100 |
| — Cannarti, 3–4 ft** | Soverely | \$1.50 | | 20. 200 |
| — — Elegantissima, 1½–2 ft | Soverity | 40 | | |
| 9_91/ f+** | Shabby | 75 | | |
| 2–2½ ft** 2½–3 ft** | Shad | 85 | | |
| (11/2) ft grafted | Shade | 55 | \$5.00 | \$45 00 |
| — Glauca, Blue Cedar, $ \begin{cases} 1\frac{1}{2}-2 & \text{ft., grafted} \\ 2 & -3 & \text{ft**} \\ 3 & -4 & \text{ft**} \end{cases} $ | Shadow | 85 | 8 00 | # 1 0 00 |
| 12 -1 f+** | Shadowy | $2\ 00$ | | 165 00 |
| — — Globosa, 12–15 in | Shake | 75 | 7 00 | $65\ 00$ |
| — — Aurea, 12–15 in | Shalv | 75 | 1 00 | 00 00 |
| — Pendula, Weeping Juniper, 18–24 in. | Shakor | 45 | | |
| 2-2½ ft | Shaking | 60 | | |
| — — Schotti, 18–24 in. | Shall | 45 | 4 00 | |
| KALMIA—Latifolia, Mountain Laurel, § 12-15 in | Sham | 55 | 5 00 | |
| (Nursery grown) 18–24 in** | Shame | 70 | 6 50 | 60 00 |
| (18–24 in | Shames | 45 | 0 50 | 00 00 |
| | .Shamed | | | |
| 3-4 ft | | 75 | | |
| Collected Stock in carload lots. Prices on applica | | 1.7 | | |
| | | 1.7 | 1.07 | |
| MAHONIA—Aquifolia, Holly Lvd. Ashb'y, 1-1½ ft | Chanter | 15 | 1 25 | 15.00 |
| Innovier 10, 10 in | .Shanty | 20 | 1 80 | 15 00 |
| — Japonica, 10–12 in | .Snape | 18 | 1 50 | |
| 18–24 in | | | | |
| PHOTINIA—Glabra, 2 ft | .Snocker | 50 | 4 70 | 40.00 |
| PINUS—Austriaca, Austrian Pine, 2-2½ ft | .Snave | 50 | 4 50 | 40 00 |
| $2\frac{1}{2} - 3 \text{ ft**}$ | . Snaver | 80 | 7 50 | $65\ 00$ |
| 3–4 ft** 4–5 ft** | Snavings | 1 15 | 11 00 | 85 00 |
| 4-0 II** | . Snaved | $\frac{2}{2} \frac{00}{50}$ | | |
| 5-6 ft** | . Snaving | 250 | ~ 00 | |
| — Cembra, Swiss Stone Pine, 12–18 in | .Sne | 55 | $\frac{5}{9}$ 00 | 75 00 |
| 18–24 in | .Shear | 85 | 8 00 | 75 00 |
| 3–4 ft** | . Sheared | $\frac{1}{60}$ | ~ 00 | |
| — Excelsa Bothan Pine, 2–2½ ft | | | $\frac{5}{7} \frac{00}{00}$ | |
| 2½-3 ft | .Shed | 75 | 7 00 | |
| 3 -4 ft** | . Sneading | 1 50 | 8 50 | |
| 4 -0 It** | .Sneen | 1 50 | 12 50 | |
| — Mugho, Dwf. Mt. Pine , 15–18 in. across | .Sneep | 70 | 6 50 | 00 00 |
| 18–24 in., " ** | .Sneer | 1 00 | 9 50 | 90 00 |
| Z II., | . Sneerly | 1 50 | | |
| — Parviflora Glauca, 1½ ft** | . Shell | 75 55 | 5 00 | |
| — Ponderosa, 2–3 ft | . Shelter | | 5 00 | |
| 3-4 ft** | . Shertering | 90 | | |
| - Rigida, 18 in | . Shepherd | 35 40 | 9 00 | 25.00 |
| — Strobus, White Pine, 2-2½ ft | Shinor | 50 | $\begin{array}{c} 3 \ 00 \\ 4 \ 50 \end{array}$ | $\frac{25}{40} \frac{00}{00}$ |
| $\frac{2\sqrt{2}-3}{3}$ ft | . Shine | 70 | 6 50 | 60 00 |
| 3 -4 ft | Shingle | 1 25 | | 100 00 |
| 4 -5 ft** | Shingle | $\frac{1}{2} \frac{20}{00}$ | 17 50 | 100 00 |
| —— Nana, Dwf. Wh. Pine , 12–18 in. across | . Shingles | 40 | 17 50 | |
| — Sylvestris, Scotch Pine, 2–3 ft. | Shirl | 50 | 4 50 | 35 00 |
| 2_1 f+** | Shirking | 80 | 7 50 | 00 00 |
| 3–4 ft** 4–5 ft** | Shirt | 1 30 | 1 30 | |
| 5-6 ft** | Shiver | $\frac{1}{2} \frac{30}{00}$ | | |
| —— Nana, 12–15 in | Shock | 50 | | |
| — Tanyosho, 15–18 in** | Shocking | 80 | 7 50 | 60 00 |
| 18-24 in** | | | 10 00 | 00 00 |
| 2-2½ ft** | Shoe | 1 50 | 10 00 | |
| | | 1 00 | | |
| RETINOSPORA— | Class | 30 | 2 50 | |
| — Ericoides, 15–18 in., extra bushy | | | $\frac{2}{2} \frac{30}{00}$ | |
| — Filifera, 12–15 in | | | $\frac{2}{3} \frac{50}{50}$ | 30 00 |
| $\frac{1}{2}$ -2 it. 2 -2½ ft** | | | $\frac{3}{6} \frac{50}{50}$ | 60 00 |
| $2\frac{1}{2}$ 1t** $2\frac{1}{2}$ 1t** $2\frac{1}{2}$ 1t** | | 1 25 | | 100.00 |
| 3-4 ft** | | | | 125 00 |
| 4-4½ ft** | | 2 25 | 20 00 | 120 00 |
| | Shore | | 4 00 | 35 00 |
| 18-94 in " ** | Short | 60 | $\frac{4}{5} \frac{50}{50}$ | 45 00 |
| — — Aurea, 12–15 in., bushy 18–24 in., " ** — Leptoclada, 2–2½ ft | Shorten | 75 | 5 50 | 2000 |
| - Lycopodioides, Club Moss, 18 in | Shot. | 60 | | |
| 13, coponionics, Ciub 141055, 10 III | . 51100 | 00 | | |

| RETINOSPORA—Continued | Tel. Code | Each | Per 10 Per 100 |
|--|--------------|-------------------------------|-----------------|
| — Obtusa, 18–24 in | Shout | \$ 50 | \$4 50 |
| | | | |
| 2–3 ft** | | 90 | 8 00 |
| 3–4 ft** | . Shouting | 1 50 | |
| (12–15 in., bushy | .Shovel | 25 | $2\ 25$ |
| 15-18 in " | Shovelled | 30 | 2 50 |
| —— Compacta, {18-24 in " ** | | | |
| | | 45 | 4 00 \$35 00 |
| (2 2/2 10., | . Showing | 55 | 5 00 |
| — — Gracilis, 18–24 in | .Show | 75 | |
| 2½-3 ft** | | 1 00 | |
| — — Aurea, 18–24 in** | | 45 | |
| | | | |
| — Nana, Dwarf, $\begin{cases} 8-10 \text{ in} \dots \\ 19-15 \text{ in} \end{cases}$ | | 30 | |
| (12-13) 111 | Shrewd | 45 | |
| Aurea Dwarf Colden 10-12 in | Shuffle | 30 | |
| —————————————————————————————————————— | Shuffling | 50 | |
| | | | |
| — Pisifera, 18–24 in | | 45 | |
| 2-2½ ft** | . Shunned | 55 | |
| 2½-3 ft** | . Shunning | 75 | |
| — — Aurea, 12–18 in | .Sick | 20 | |
| | | | |
| 1½-2 ft | .Sicken | -45 | |
| 2-2½ ft.,**sheared | . Sickening | 70 | 6 50 60 00 |
| 2½-3 ft.,** " 3 -4 ft.,** " | | 80 | 7 50 70 00 |
| 3 -4 ft.,** " | | 1 50 | 12 50 100 00 |
| A 5 f+ ** " | | | |
| 4 -0 10., | | $2\ 00$ | 17 50 |
| — Plumosa, 12–18 in | .Sifter | 25 | $2\ 00\ 15\ 00$ |
| 18–24 in., sheared | . Sift | 45 | |
| 2 -2 ½ft.,** " | | $\tilde{65}$ | 6 00 50 00 |
| 2 -2 /210., | | | |
| | | 85 | 8 00 75 00 |
| 3 -4 ft.,** " | Sighing | $1 \ 25$ | 10 00 90 00 |
| 4 -5 ft** " | .Sight | $2\ 00$ | 17 50 |
| 5 –6 ft.,** " | | $\frac{5}{2}$ $\frac{50}{50}$ | 24 00 |
| 0 -010, | | | 24 00 |
| — — Argentea, 12–15 in | | 30 | |
| 18–24 in., sheared | . Signature | 45 | 4 00 |
| 2–3 ft.,** " | Signet | 60 | 5 50 |
| — — Aurea, 12–15 in | | $2\overline{5}$ | $2\ 00$. |
| | | | |
| $1\frac{1}{2}$ -2 ft., sheared | | 45 | 4 00 |
| 2-2½ ft.,** " | .Silently | 70 | 6 50 60 00 |
| 2½-3 ft.,** " | Silk | 80 | 7 50 70 00 |
| — — Aurea, 3–4 ft.,** sheared | Silleon | $1 \ 25$ | 11 50 100 00 |
| A F ft ** " | | | |
| 4-5 ft.,** " | | $2\ 00$ | 17 50 150 00 |
| 5-6 ft.,** " | .Sill | 2.50 | |
| 6–7 ft.,** '' | Silly | $3\ 50$ | |
| —— Lutescens, 12–15 in | | . 25 | |
| | | | |
| 15–18 in | | 35 | |
| 1½-2 ft** | . Simpleness | 55 | |
| 2-2½ ft** | | 1 15 | |
| - Squarrosa Veitchii, 12-18 in | | 35 | $3\ 00 25\ 00$ |
| 11/ 9 ft about | Ci | | |
| $1\frac{1}{2}$ -2 ft., sheared | | 45 | 4 00 35 00 |
| 2-2/2 16., | Sincerely | 65 | 5 50 50 00 |
| 2½-3 ft. ** " | Sin | 85 | 8 50 75 00 |
| 3 -4 ft.,** " 4 -5 ft.,**" | | 1 50 | |
| 4 –5 ft***" | | | 10 00 |
| 4 -5 ft.,***" | | $\frac{2}{2} \frac{00}{00}$ | |
| 5 -6 ft.,** " | Sinew | 3 00 | |
| 6 -7 ft ** " | Sinfulness | 4 00 | |
| 7 –8 ft.,** " | | 5 00 | |
| - Sigholdi 18 in | | | |
| — Sieboldi, 18 in | smuny | 45 | |
| RHODODENDRON—Hardy Named Varieties | | | |
| | | | |
| — Album Elegans, | | | |
| - Caractacus, 12-18 in no bude | Cina | 50 | 4 50 40 00 |
| - Caractacus, - Delicatissima 12–18 in., no buds | ging | 50 | 4 50 40 00 |
| D. T 112-18 III., 1ew pugs | Singer | 55 | 5 00 45 00 |
| | | 65 | 6 00 55 00 |
| - Everestianum, 18-24 in., vell budded** | Single | 75 | 7 00 65 00 |
| - Everestianum, - Grandiflora, - Macrantha. 18–24 in., 1eW budds** 18–24 in., well budded** 2–2½ ft., " ** | Cincular | | |
| - Macrantha, $21/2$ ft., ** | Singular | 1 25 | |
| - Roseum Elegans, 2½-3 ft "** | Singularity | 1 50 | 13 50 125 00 |
| - Roseum Superba, | · · | | |
| reoscum superba, | | | |
| | | | |

| RHODODENDRON- | -Continued | Tel. Code | Each | Per 10 | Per 100 |
|--------------------------------------|--|------------------|-------------------------------|------------------------------|-------------------------------|
| — Atro-Sanguinea, | | | | | |
| Abr. Lincoln, | | | | | |
| Boule de'Neige, | 12–18 in., no buds | Sink | \$ 55 | \$5 00 | \$45 00 |
| Chas. Dickens, | 12–18 in., few buds | Sinker | 65 | 6 00 | 55 00 |
| — Kettledrum | (10 04 : f 1 1-** | C: 1 · | 75 | 7 00 | 65 00 |
| — Mrs. Milner, | 18-24 in., tew buds*** 18-24 in., well budded** 2-2½ ft., '' ** | Sinless | 85 | 8 00 | 75 00 |
| — Gen. Grant, | 2-2½ ft "** | Sinner | 1 50 | 12 50 | .,, 00 |
| - H. W. Sargent. | | | 1 .,,, | | |
| — Rosea Lutca, | J | | | | |
| Nosch Daten, | 15–18 in., no buds | C:+ | 45 | 4 00 | 35 00 |
| | 18–24 in., few buds** | C:+- | | | |
| 0.41 | 10-24 in., lew buds | Site | 55 | $\frac{5}{6} \frac{00}{00}$ | 45 00 |
| — Catawbiense, | 18-24 in., well budded** | Sitting | 65 | 6 00 | 55 00 |
| | 2-2½ ft., " ** | Situate | 1 15 | 10 00 | 85 00 |
| | 12½-3 ft., " ** | Situation | 1 25 | | 100 00 |
| Maximum, nursery | grown, 1½-2 ft., extra · | Sizable | 50 | 4 50 | $40 \ 00$ |
| | 2 -3 ft | | 1 00 | 7 50 | 60 00 |
| | 3 -4 ft | Sizing | 1.50 | | |
| Coll | ected stock in carload lots. Pri | ices on applicat | ion. | | |
| SCIADOPITYS-Vert | ticillata 2-21/2 ft** | Skentic | 2 00 | 17.50 | 150 00 |
| | 21/=3 f+** | Skentical | $\frac{5}{2}$ $\frac{50}{50}$ | | 200 00 |
| | 2½-3 ft** 3-3½ ft** | Skentiniam | $\frac{2}{3} \frac{50}{50}$ | | 300 00 |
| | 1 f+** | Chatch | 5 00 | 47 50 | 300 00 |
| TAVIIC C:day | 4 ft** | CLUILE | | 47 90 | |
| | 3–8 in | | 35 | ~ 00 | |
| | 8 in | | 55 | 5 00 | |
| | 4 in | | 90 | 8 50 | |
| 2-21/ | ≨ ft** | Skimming | 1.25 | | |
| — Repandens, 8-10 ir | 1 | Skip | 40 | 3.50 | 30 00 |
| 12-15 | in | Skipper | 65 | 6 00 | |
| - Elegantissima, 2-3 | ft** | Skipping | 75 | | |
| - Puramidal 3 ft** | | Stah | 1 50 | $12 \ 50$ | |
| | | | $\frac{1}{1} \frac{30}{75}$ | 12 00 | |
| | | | | 1.90 | 12 00 |
| India—Occidentans | s, Am. Arbor Vitae, 18 in | | 15 | 1 30 | |
| | | Slanderous | 25 | 2 25 | 20 00 |
| | | Slandering | 30 | 2 75 | 25 00 |
| | | Slang | 60 | 5 00 | 40 00 |
| | 4 -5 ft** . | Slant | 90 | 8 00 | 75 00 |
| | 5 -6 ft** . | Slanting | $1\ 30$ | 12 00 | 100 00 |
| — — Aurea Lutea, G | eo. Peabody, 12-18 in | | 35 | 3 00 | |
| | 18–24 in | | 50 | 4.50 | 40 00 |
| | 2-2½ ft** | | 60 | | |
| | $\overline{2}$ $\overline{\cancel{1}}_{2}$ $\overline{-3}$ $\overline{1}$ $\overline{1}$ $\overline{1}$ $\overline{1}$ | Slavish | 85 | 7 50 | |
| | 4 -5 ft** | Slaying | 1 60 | 15 00 | |
| | 5- 6 ft.** | Slay | $\frac{1}{1} \frac{00}{75}$ | 15 00 | |
| Dec41: 19 10 :- | | | | 3 00 | 25 00 |
| | 1 | | 35 | | $\frac{25}{25} \frac{00}{00}$ |
| 18-24 11 | 1 | | 45 | 4 00 | 35 0 0 |
| 2-2½ f | t** | Sleeplessness | 55 | 5 00 | |
| — — Columbian, Silv | er Tipped, 12–18 in | Sleeper | 30 | | |
| • | 18–24 in | Sleepless | 40 | | |
| 4.61 | 2-2½ ft** | Sleepy | 50 | | |
| — — Compacta, Pars | ons Dwf., 8–12 in | Slice | 20 | 1 80 | 15 00 |
| | 12–15 in | | 30 | 2 50 | 20 00 |
| | 18–24 in | | 40 | $\frac{1}{3}$ $\frac{1}{50}$ | _ 0 0 0 |
| | 2-2½ ft** | Sliding | $\tilde{50}$ | 0 00 | |
| Ouist-4- 10 in | $\mathcal{L}^{-2}/_{2}$ 10 | Silding | | | |
| — Cristata, 18 in | | Sinder | 45 | 0.00 | |
| — — Ellwangeriana, | 12–18 in | Slip | 25 | 2 00 | |
| — — Globosa, Dwarf | Globe, 8–12 in | | 15 | 1 25 | 00.00 |
| | 12–18 in | Slipped | 30 | 2 25 | $20 \ 00$ |
| | 18–24 in | Slippery | 55 | | |
| | 2 ft.** | Slipping | 75 | | |
| - Hovevi. Hovev | s Golden Dwf., 15-18 in | Slop | 30 | 2.50 | |
| | 1½-2 ft | | 40 | | |
| | 2-2½ ft** | Slot | 50 | | |
| Diacts /Dan-1 | | | | | |
| —— Plicata, (Dougla | asi) 18–24 in | siower | 35 | | |
| 2-21/2 | ftramidal Arb. Vit., 12-18 in | wore | 50 | 1 '00 | |
| — — Pyramidalis, Py | ramidal Arb. Vit., $12-18$ in | Smack | 15 | 1 00 | |
| | 1½-2 ft | Small | 18 | 1 50 | |
| | 2-2½ ft | | 30 | 2 50 | |
| | $2\frac{1}{2}$ -3 ft | | 40 | 3 50 | |
| | 3–4 ft** | | 75 | 6 50 | 55 00 |
| | 0 2 10 11.11 | | | | |

| THUYA—Continued | Tel. Code | Each | Per 10 | Per 100 |
|-----------------------------------|---------------------------------|------------------|-------------|-----------|
| 22222 | 4-5 ft**Smarter | \$1 00 | \$9 00 | \$85 00 |
| | 5–6 ft**Smash | 1 35 | $12 \ 50$ | |
| — — Rosedale Hyb. (See Bio | ta). | | | |
| — Rosenthali, 18–24 in | Smoke | 45 | | |
| 2-2½ ft | Smoky | 55 | | |
| — Spathii, 18–24 in | Smooth | 55 | 5 00 | |
| — — Umbraculifera, Dwf. An | oor Vitae, 8-12 in Smoothing | 20 | | |
| | 12–15 in Smoothly | 25 | | |
| | 18–24 in Smoothness | 40 | 3 50 | |
| — — Vervaeneana, Vervaene | Golden, 2-2½ ft Smuggle | $\underline{50}$ | | |
| | $2\frac{1}{2}$ -3 ft** Smuggler | 75 | | |
| — — Warreana, Siberian Arl | or Vitae, 12–15 in Snake | 15 | 1 25 | 0* 00 |
| | $1\frac{1}{2}$ -2 ft Snap | 35 | 3 00 | 25 00 |
| | $2-2\frac{1}{2}$ ft Snappish | 50 | 4 00 | $35 \ 00$ |
| | 2½-3 ft**Snare | 50 | = 00 | |
| | -2 ft., bushy | 55 | 5 00 | |
| | ½ It., Soak | 65 | 6 00 | |
| | -3 It.,Soaking | 90 | 7 50 | |
| Hamlask Comes | | 1 25 | 10 00 | |
| - 1 14 | -3 It., Soar | 1 75 | | |
| 5 | -0 It | 2 00 | | |
| 0 1: 10 04: ** | -0 It., | 7 50 | | |
| — Caroliniana, 18–24 in** . | | 75 | | |
| — Sargenti pendula, 18–24 in | - Court Coo 10 04 in Coff | 1 00 | | |
| THUYOPSIS—Boreans, Noo | ka Sound Cyp., 18-24 in Soft | 50 | 4 00 | |
| | Soften | 50 | 4 00 | |
| VIICCA Filomentos Adam | | 1 50 | 12 50 90 | 7 00 |
| i occa—r namentosa, Adam | s Needle, 2 yrSoiled | 12 | 1 10 | 9 00 |
| | 3 yrSoil | 14 | 1 10 | 9 00 |

HARDY HERBACEOUS PERENNIALS

We try to supply most of our perennials in field grown (F. G.) stock, but where we run short, especially later in the scason, we supply pot-grown (P. G.) stock from $2\frac{1}{2}$ in. pots at 25 per cent discount of the prices quoted, except where only pot-grown stock is offered. For late planting we advise the setting of pot-grown stock.

| Tel. C | Code Each | Per 10 | Per 100 |
|---|-----------|--------|---------|
| Achillea—Boule de Neige, P. G Oar | \$ 10 | \$ 80 | \$ |
| — Millefolia Rosea, P. G & F. G Oasis | 10 | 80 | 6 00 |
| - Ptarmatica, The Pearl, P. G. & F. G Oats | 10 | 80 | $6\ 00$ |
| Alyssum Sweet—Annual, P. G Oatmea | 1 10 | 60 | |
| — Saxitale Compactum, P. G. & F. GOath | 10 | 80 | $6\ 00$ |
| Anchusa—Italica P. G. & F. GObedien | ce 10 | 80 | $6\ 00$ |
| Anemone—Japonica Assorted P.GObedier | it 10 | 80 | |
| Anthemis—Tinctoria, P. G. & F. G | 10 | 80 | $6\ 00$ |
| Aquilegia—Canadensis, P. G. & F. G Obeyed | 10 | 80 | $6\ 00$ |
| — Chrysantha, P. G. & F. G | g 10 | 80 | $6\ 00$ |
| — Coerula, P. G. & F. G Obeyers | s 10 | 80 | 7 00 |
| — Helena, P. G. & F. G Obituar | y 10 | 80 | $6\ 00$ |
| Arabis—Alpina, P. G. & F. G | 10 | 80 | $6\ 00$ |
| — Rosea, P. G. & F. G. Objecte Armeria—Caspitosa, P. G. & F. G. Objectin | d 10 | 80 | |
| Armeria—Caspitosa, P. G. & F. G Objecting | ng 10 | 80 | |
| — Formosa, P. G. & F. G Objection | on 10 | 80 | $6\ 00$ |
| Asclepia—Tuberosa, P. G Objection | on 10 | 80 | |
| Aster—Amellus, Perry's Fav., P. G. & F. G Oblation | n 10 | 80 | 6~00 |
| — Beauty of Colwall, P. G. & F. G Obligate | e 15 | 1 00 | $9\ 00$ |
| — Novæ Angelæ, P. G. & F. G Obligati | ion 10 | 80 | 5 00 |
| - Pulcherrimus, P. G. Oblige | 12 | 10 | |
| — Robert Parker, P. G. & F. G Obliging | z 10 | 90 | 8 00 |
| — Snowflake, P. G. & F. G Oblique | 10 | 80 | 6~00 |
| — White Queen, P. G. & F. G Oblivior | 1 10 | 80 | 600 |
| Astilbe—Gladstoni, F. GObliviou | ıs 10 | | |
| — Japonica, F. G Oblong | 10 | | |
| Bellis—Perennis, P. G. & F. G Obnoxid | ous 10 | 80 | 5 00 |
| Bocconia—Cordata, P. G. & F. GObnoxid | ously 10 | 80 | 6~00 |
| Boltonia—Asteroides, P. G. & F. G Obscene | 10 | 60 | $5\ 00$ |
| - Latisquama, P. G. & F. GObscene | ely 10 | 80 | 6 00 |
| Callirhoe—Involucrata, P. G. & F. G Obsceni | ty 10 | 80 | 6 00 |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------|-----------------|----------|--------------|
| Calluna—Vulgaris, Assorted, F. G | .Obscure | \$ 15 | | \$12 00 |
| Campanula—Carpatica, Assorted, P. G. & F. G. | .Obscured | 10 | 80 | 6 00 |
| — Media, Assorted, P. G. & F. G. | .Obscurity | 10 | 80 | 6 00 |
| — Moerheimi, P. G. & F. G. | .Obscurely | 12 | 1 10 | 10 00 |
| - Persaecifolia, Assorted, P. G. & F. G. | | | 80 | 6~00 |
| Centaurea—Montana, P. G. | Observant | 10 | 80 | |
| Cerastium—Tomentosum, P. G. & F. G. | .Observation | 10 | 80 | 6 00 |
| Chrysanthemum—Hardy, P. G. & F. G. | .Observe | 10 | 80 | 6 00 |
| (Pompon and Large.) | 01 | 10 | 00 | 0.00 |
| — Maximum, Shasta Daisy. P. G. & F. G | | 10 | 90 | 8 00 |
| Convalaria—Clumps, F. G | | 18 | 1 20 | 3 00 |
| — Pips, F. G. | | 05 10 | 40 80 | |
| Coreopsis—Lanceolata, P. G. & F. G. | Obstacle | 10 | 80 | 5 00 7 00 |
| — Rosea, P. G. & F. G. Delphinium—Belle Donna, P. G. & F. G. | Obstinacy | 10 | 80 | 7 00 |
| — Elatum, P. G. | Obstinate | 10 | 00 | 7 00 |
| — Formosum, P. G. & F. G. | Obstruct | 10 | 80 | 6 00 |
| — Sinensis (blue and white), P. G. & F. G. | Obstructed | 10 | 80 | 6 00 |
| — Sulphureum, P. G. | Obstruction | 12 | 00 | 0 00 |
| Dianthus—Barbatus, Assorted Colors, P. G. & F. G. | Obstructing | 10 | 80 | 5 00 |
| — Newport Pink, P. G. & F. G. | | 12 | 10 | 5 00 |
| — Lat-atro-coccinea, fl. pl., P. G. & F. G. | | 10 | 90 | 8 00 |
| — Plumarius, P. G. & F. G, | | 10 | 80 | 6 00 |
| — Carmen, P. G. & F. G. | | 10 | 80 | 6 00 |
| — — Gertrude, P. G. & F. G. | Obtaining | 10 | 80 | 6 00 |
| — — Her Majesty, P. G. & F. G. | Obvious | 10 | 80 | 6 00 |
| — Lord Lyons, P. G. & F. G. | Obviously | 10 | 80 | 6 00 |
| Dicentra—Spectabilis, F. G. | Occasion . | $\tilde{12}$ | 1 00 | 0 00 |
| Digitalis—Assorted Colors, P. G. & F. G. | Occasional | 10 | 80 | 6 00 |
| Echinacea—Purpurea, P. G. & F. G. | | 10 | 80 | |
| Erinius—Alpina, P. G | .Occupation | 12 | | |
| Eupatorium—Ageratoides, P. G. | .Occupy | 10 | 80 | |
| — Coelestinum P. G | .Occupied | 10 | 80 | |
| Festuca (See Grasses). | • | | | |
| Funkia—Coerulea, F. G | .Occur | 10 | 80 | |
| — Undulata Variegata, F. G | .Occurrence | 10 | 80 | 5 00 |
| — Subcordata, gr. fl., F. G | .Ocean | 12 | 1 00 | |
| Gaillardia—Grandiflora, P. G. & F. G | | 10 | 80 | 6 00 |
| Geum—Atro-sanguinea, P. G. & F. G | .Octagon | 10 | 80 | 6 00 |
| Gypsophylla—Paniculata, P. G | .Octagonal | 12 | | |
| Helenium—Autumnale Rubra, F. G | | 12 | | |
| — Pulcherrima Major, P. G | .Octavo | 12 | | |
| Helianthus—Maximiliana, F. G. | .Odd | 10 | 80 | |
| — Molle, F. G. | .Oddity | 10 | 80 | |
| — Multiflora, Fl. Pl., F. G. | Oddly | 12 | 1 00 | |
| Heliopsis—Pitcheriana, F. G | .Oddness | 10 | 80 | c 00 |
| Hemerocallis—Assorted, F. G. | | 10 | 80 | 6 00 |
| Hernaria—Glabra, P. G | Odiously | $\frac{12}{10}$ | 80 | |
| Heucheria—Sanguinea, P. G. & F. G. | Oden | 10 | 80 | 6 00 |
| Hollyhocks—Ass'd colors, single & double, P. G. & F. G. | Odenless | 10 | 80 | 6 00 |
| Iberis—Sempervirens, P. G. & F. G. — Gibraltarica, P. G. & F. G. | Offerse | 12 | 10 | 0 00 |
| Inula—Ensifolia, P. G. | Offend | 12 | 10 | |
| Iris—Dalmatica Pallida, F. G. | Offended | 15 | 1 50 | |
| | | 10 | 80 | 5 00 |
| — Dwarf Cyanea, F. G | | 10 | 80 | 6 00 |
| — Japan, Assorted Colors F. G. | | 10 | 80 | 8 00 |
| — Siberian, F. G. | | 10 | 80 | 5 00 |
| Lathyrus—Pink Beauty, P. G. & F. G. | Offering | 10 | 80 | |
| Liatrus—Pycnostachia, P. G. | Officer | 10 | 80 | |
| Lilium—Melpomene, F. G. | | 10 | 80 | |
| Linum—Perenne, P. G. | Official | 10 | 80 | |
| Lobelia—Cardinalis, P. G. | .Officially | 10 | 80 | |
| Lobelia—Cardinalis, P. G. Lupinus—Poliphyllus, Moerheimi, P. G. | .Officiate | 10 | 80 | |
| Lychnus—Chalcedonica, Pink, P. G. & F. G. | .Often | 10 | 80 | 6 00 |
| — Haageana, P. G. | .Oil | 10 | 80 | |
| — Diurna, fl. pl., P. G. & F. G | Oily | 10 | 80 | |
| — Viscaria, P. G. & F. G | .Oiled | 10 | 80 | 6 00 |
| | | | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|---------------|---|--------------|---|
| Lysimachia—Clethroides, P. G | | \$ 10 | \$ 80 | |
| Malva—Moeschata, P. G. & F. G | Old | 10 | 80 | \$6 00 |
| Monarda—Didima, F. G. | | 10 | 00 | c 00 |
| Myosotis—Palustris, P. G. Oenethra—Youngi, P. G. | Omission | 10 10 | 80 80 | $\begin{array}{c} 6 \ 00 \\ 6 \ 00 \end{array}$ |
| — Spicata, P. G. | Omitted | 10 | 80 | 0 00 |
| Pachysandra—Terminalis, P. G. | .On | 10 | 80 | 6 00 |
| — Variegata, P. G | Once | 10 | 80 | |
| Paeonia—Officinalis Rubra, F. G. | Only | 15 | 1 30 | 10 00 |
| — — Rosea, F. G. — — Mutabilis, F. G. | Opol | $\frac{15}{15}$ | 1 30 1 30 | |
| — Tenuifolia, fl. pl., F. G. | Opened | 20 | 1 80 | |
| — Sinensis, Assorted varieties, 2 yr., F. G. | | $\overline{15}$ | 1 30 | 12 00 |
| — — Festiva Maxima, F. G | .Opening | 20 | 1 80 | |
| Papaver—Orientalis, Red and Pink, P. G. & F. G. | | 10 | 80 | 6 00 |
| — Nudicale, P. G. & F. G. | | 10 | 80 | 5 00 |
| Paradanthus, F. G. Pentstemon—Barbatus, F. G. | Operate | $\begin{array}{c} 10 \\ 10 \end{array}$ | 80 80 | |
| Phalaris—(See Grasses). | . , Operation | 10 | 00 | |
| Phlox—Amoena, P. G. & F. G. | .Operator | 10 | 60 | 5 00 |
| - Divaricata Laphami, P. G. | Opiate | 12 | 1 00 | |
| — Decussata, good kinds, P. G. & F. G | .Opinion | 10 | 70 | 6 00 |
| — Subulata (pink and white), P. G. & F. G. | Opponent | 10 | 60 | 4 00 |
| Physostegia, P. G. & F. G. | Opportunity | 10 10 | 80 80 | 6 00 |
| Platycodon—blue and white, P. G. & F. G. Plumbago—Larpentæ, P. G. | Oppose | 10 | 80 | |
| Polemonium—Richardsoni, P. G. & F. G. | . Opposing | 10 | 80 | 6 00 |
| Primula—Japonica, P. G. | | 10 | 80 | 6 00 |
| — Veris, P. G. & F. G. | .Opposition | 10 | 80 | 6 00 |
| — Vulgaris, P. G. & F. G. | Oppress | 10 | 80 | 6 00 |
| Pyrethrum—dbl. mixed, P. G. & F. G. | . Oppressed | 10 | 80 | 6 00 |
| Grandiflora, mixed, P. G. & F. G.Uliginosum, P. G. & F. G. | Oppression | 10 10 | 80 80 | $\begin{array}{c} 6 \ 00 \\ 6 \ 00 \end{array}$ |
| Rudbeckia—Autumn Sun, P. G. | Oppressive | 10 | 30 | 0 00 |
| — Lacineata, F. G. | | 10 | 60 | 5 00 |
| — Newmanni, F. G | | 10 | 80 | |
| — Purpurea, F. G | | 10 | 80 | 7 00 |
| Salvia—Azurea, P. G. | | 10 | 80 | 6 00 |
| Saturea—Montana, P. G. | | 10 | 80 | |
| Saxifraga—Cordifolia, P. G. Scabiosa—Japonica, P. G. | | $\begin{array}{c} 10 \\ 12 \end{array}$ | 1 00 | 8 00 |
| Sedum—Acre, P. G. & F. G. | Ordain | 10 | 80 | 5 00 |
| - Kamschaticum, P. G. & F. G. | .Ordained | 10 | 80 | 5 00 |
| — Spectabilis and Var , F. G. | | 10 | | |
| — Stolonifera, P. G. | | 10 | | |
| — Sexangulare, P. G. | Ordering | 10 | 90 | |
| Solidago—Rigida, F. G. Spirea—Filipendula, F. G. | Orderly | 10 10 | 80 80 | |
| Stachys—Lanata, P. G. | | 10 | 80 | |
| Stokesia, blue and white, P. G & F. G. | Organ | 10 | 80 | 6 00 |
| Thalictrum—Aquilegifolia, P. G. & F. G | Organic | 10 | 90 | |
| — Dypticarpum, F. G. | Organize | 10 | 90 | |
| Thymus—Lanuginosa, P. G. | . Orient | 10 | 80 | |
| — Serphyllum Splendens, P. G. | Origin | $\frac{10}{10}$ | 80 80 | 5 00 |
| Tritoma—Uvaria, P. G. & F. G. Trollus—Europea, P. G. | Originat | 10 | 80 | 3 00 |
| Tunica—Saxifraga, P. G. | Ornament | 10 | 80 | |
| Veronica—Spicata, P. G. & F. G. | . Orthodox | 10 | 80 | 6 00 |
| — Subsessilis, P. G. & F. G | Our | 10 | 80 | 7 00 |
| Viola—Cornuta Admiration, dark blue, P. G | Out | 10 | 60 | 5 00 |
| — Perfection, light blue, P. G. | utht | 10 | 60 | 5 00 |
| — Perfection, white, P. G | Outside | $\begin{array}{c} 10 \\ 10 \end{array}$ | 60 | 5 00 |
| HARDY GRASSES | 3 | | | |
| Arundinaria—Nitida (new) | | \$1 00 | \$ \$ | ; |
| Arundo—Donax, strong divisions | Rack | 10 | 80 | |
| Eulalia—Japonica, clumps | Racket | 08 | 70 | 6 00 |
| | | | | |

| Eulalia—Continued Tel. Code — Gracillima, clumps Radical — Variegated, clumps Raft — Zebra, clumps Rag Erianthus—Ravenne Rage Festuca—Glauca Rail Phalarius—Var. Ribbon Grass Rain Stenanthium Robustum Rainy | Each \$ 08 08 08 10 10 10 50 | Per 10 \$ 70 70 70 70 80 | Per 100 \$5 00 5 00 5 00 5 00 |
|---|---|---|---|
| MISCELLANEOUS | | | |
| Cannas | 10 10 | 80 | 5 00 |

FRUIT DEPARTMENT

| | Each | Per 10 | Per 100 |
|---|-----------------|--------------------------|-----------|
| APPLES AND CRABS—Extra, 1½ in | | | - 000 |
| | | #9 FO | |
| " 1 in., 6–8 ft | 40 | \$3 50 | *** |
| First grade, 3/4 in., 5-7 ft A | 25 | | \$20 00 |
| Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., $\frac{4}{6}$ ft B | 20 | 1 75 | |
| Dwarf | 45 | 4 00 | |
| 2–3 ft | 35 | 3 00 | |
| PEARS—Std. 1½ in., 6-8 ft | 50 | 9 00 | |
| Extra, $\frac{7}{8}$ and 1 in., 6–7 ft | 35 | | |
| | | 0 === | 07.00 |
| First Grade, $\frac{3}{4}$ – $\frac{7}{8}$ in., 5–7 ft | 30 | 2 75 | $25 \ 00$ |
| Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., 4-5 ft | 20 | 1 75 | |
| Kieffer, $1\frac{1}{4}$ in., $6-8$ ft XX | 50 | 4 00 | 35 00 |
| 1 in., 6–7 ftX | 35 | 3 00 | 25 00 |
| 3/4 in., 5–7 ft | 25 | 2 25 | 20 00 |
| 5% in., 4–5 ft | $\overline{15}$ | $\tilde{1} \ \tilde{25}$ | 20 00 |
| | | 1 20 | |
| PEARS Dwf.— $\frac{7}{8}$ and 1 in., 3–4 ft | 25 | | |
| First grade, $\frac{3}{4} - \frac{7}{8}$ in., $3-4$ ft | 20 | | |
| Med. grade, $\frac{1}{2}$ - $\frac{5}{8}$ in., 2-3 ft | 15 | | |
| CHERRIES—Extra, 1½ in., 6–8 ftXX | 50 | | |
| Extra, 1 in., 6–7 ft | 35 | 3 00 | |
| First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-7 ft | 35 | 3 25 | 25 00 |
| | | | 25 00 |
| Med. grade, 5/8-3/4 in., 4-5 ftB | 20 | 1 50 | |
| PLUMS —1 ¹ / ₄ in., 6–8 ftXX | 50 | | |
| Extra, $\frac{7}{8}$ and 1 in., 5–7 ft | 35 | | |
| First grade, $\frac{3}{4} - \frac{7}{8}$ in., 5–6 ft | 30 | 2 75 | 25 00 |
| Medium, 5/8 in., 4-5 ft | 20 | 1 50 | |
| PEACHES—34-1 in., 5-7 ft | 20 | 1 00 | |
| Part 5/2/in 5 6th | | 1.05 | 10.00 |
| Extra, 5/8-3/4 in., 5-6 ft | 15 | 1 25 | 12 00 |
| First grade, $\frac{9}{16}$ - $\frac{5}{8}$ in., 4-6 ft | 12 | 1 00 | 9 00 |
| Medium, ½ in., 4–5 ft | 09 | 80 | 6 00 |
| Second grade, $\frac{7}{16}$ in., $3-4$ ft | 08 | 70 | 5 00 |
| Third class, 2–3 ft | 06 | 50 | 4 00 |
| QUINCES —Extra, 34–1 in., 4–6 ft | 40 | | - 00 |
| Extra, $\frac{5}{8}$ in., 3–5 ft | 30 | 2 75 | 25 00 |
| | | | |
| First grade, $\frac{9}{16}$ in., $3-4$ ft | $\frac{25}{20}$ | 2 25 | 20 00 |
| Medium grade, ½ in., 2½–3 ft | 20 | 1 75 | |
| APRICOTS —Extra, $\sqrt[3]{4}$ in., 4 –6 ft | 35 | | |
| First grade, % in., 3-5 ft | 25 | | |
| Second grade, ½ in., 2–3 ftB | 20 | | |
| NECTARINES—First grade, 4–5 ft | $\overline{25}$ | | |
| MULBERRIES—Russian and White, 4–6 ft. | 30 | | |
| WOLDERRIES—Russian and winte, 4-01t. | | | |
| New American, 6–7 ft | 50 | | |
| NUTS—Chestnut, American, 5–7 ft | 50 | | |
| Filberts, 2–3 ft | 20 | 1 50 | |
| Pecans, 2–3 ft | 50 | | |
| Walnut, English, 2–3 ft | 30 | | |
| " Japan, 2–3 ft | 25 | | |
| " " 3–4ft | 30 | | |
| DEDCIMMONG American 2 4 ft | | 2 00 | |
| PERSIMMONS—American, 3–4 ft | 25 | 2 00 | |
| 4–6 ft | 35 | 3 00 | |

| CRADES I am too pines for note: | 11 | Each | Per 10 | Per 100 |
|---|---|-----------------|----------|-----------------------------|
| GRAPES—Long top vines for retail | | \$ 10 | \$ 80 | \$ 6 00 |
| Agawam, Brighton, C | Catawba, Clinton, Delaware, | | • | • |
| Diamond, Moore's Ea | rly, Salem, Worden | 10 | 80 | 7 00 |
| Campbell's Ea., 2 and 3 | yr | 16 | 1 50 | |
| Green Mountain, 2 and | 3 years | 25 | 2~00 | |
| CURRANTS— Cherry, | Madian 0 - 4 2 | 06 | =- | 4 00 |
| Fay's Prolific, Lee's Black | Medium, 2 and 3 years | 07 | 50 60 | $\frac{4}{5} \frac{00}{00}$ |
| White Grape, | Strong, 2 and 3 yrs | 08 | 70 | 5 00 |
| Wilder, | Selected, 5 yrs | 00 | 10 | |
| GOOSEBERRIES-Downing, Hough | nton 2 vrs | 12 | 1 00 | 9 00 |
| Downing, mough | 3 yrs | 12 | 1 00 | |
| Industry, Smith | n's Imp., 3 yrs | $\overline{15}$ | 1 20 | 10 00 |
| RASPBERRY—Cuthbert, Gregg, K | ansas | | | 2 00 |
| Columbia, Golden C | Queen, etc., Selected | | | $2\ 00$ |
| St. Regis (everbeari | ng) | | | 4 00 |
| BLACKBERRIES—Ea. Harvest, Bl Erie, Mesereau, | owers (| | | |
| Erie, Mesereau, | { selected | | | $2\ 00$ |
| Rathbun, Ward | | | | |
| WINEBERRY—Japan | • | | 1 00 | 50 |
| STRAWBERRIES—Layer plants | • | | | 50 |
| — Pot plants | #5 00 per 1000 | | | 2 50 60 |
| | | | 60 | 5 00 |
| KITODAKO | • | | 00 | 5 00 |





